HAND-KNIT FAVORITES

CARDIGANS & PULLOVERS

VOL. 37 FLEISHER · *Bear Brand* · BOTANY 75¢

Style No. 3701

Sizes 12-14 and 16-18

Instructions are for size 12-14 using size 8 needles for Pattern; changes for size 16-18 using size 10 needles for Pattern are in parentheses, *see measurement chart,* page 51.

MATERIALS:	Size 12-14	Size 16-18
BEAR BRAND, FLEISHER'S or BOTANY WINSOMt, 2 oz. skeins or **BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"** or **BOTANY SCOTTIE,** 2 oz. skeins	6 skeins	6 skeins

KNITTING NEEDLES: **For size 12-14 only** – 1 pair "Boye" 14-inch Needles, Size 8 – OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14-inch Needles, Size 5 for ribbing.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 8 Needles – 11 sts = 2 inches 7 rows = 1 inch To check gauge, see page 51.

For size 16-18 only – 1 pair "Boye" 14-inch Needles, Size 10 – OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14-inch Needles, Size 6 for ribbing.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 10 Needles – 5 sts = 1 inch 13 rows = 2 inches To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING: To fit	32-34 in. Bust	36-38 in. Bust
Cardigan – Width at bustline, buttoned . . . . . inches	37	41
Width of back at underarm . . . . . inches	17½	19½
Width of sleeve at underarm . . . . . inches	12¼	13½
Pullover – Width at bustline . . . . . inches	35	39
Width of back at underarm . . . . . inches	17½	19½
Width of sleeve at underarm . . . . . inches	12¼	13½

CARDIGAN

BODY—With size 5 (6) needles, cast on 201 sts for lower edge of back and fronts.

Row 1—wrong side—P 23 for front border and facing; k 1, * p 1, k 1; repeat from * to within 23 sts of end; p 23 for border and facing.

Row 2—K 11 for facing, with yarn at back of work, slip 1 st as to p for turning st, k 11 for front border; p 1, * k 1, p 1; repeat from * to within 23 sts of end; k 11 for front border, with yarn at back, slip 1 st as to p for turning st, k 11 for facing.

Row 3—Same as row 1.

For size 12-14 only—Repeat rows 2 and 3 twice.

For both sizes—buttonhole row—K 4, bind off 3 sts for buttonhole, k until 4 sts from buttonhole, slip turning st as before, k 4, bind off 3 sts for buttonhole, k until 4 sts from last buttonhole; p 1, * k 1, p 1; repeat from * to within 23 sts of end; k 11, slip turning st, k 11.

Next row—Same as row 1, casting on 3 sts over each buttonhole.
Repeat rows 2 and 1 until there are 23 (19) rows from beg.

Inc. row—right side—K 11, slip 1, k 11; work 3 sts in ribbing, * inc. 1 st in next st, work 3 sts in ribbing; repeat from * 37 times; k 11, slip 1, k 11; 239 sts.

Pattern—Row 1—With size 8 (10) needles, p 23; k 1, p 7, * k 1, p 15 *; repeat between *'s 10 times, k 1, p 7, k 1; p 23.

Row 2—right side—K 11, slip 1, k 11; p 1, k 6, * p 3, k 13 *; repeat between *'s 10 times, p 3, k 6, p 1; k 11, slip 1, k 11.

Row 3—P 23; k 1, p 6, * k 3, p 13 *; repeat between *'s 10 times, k 3, p 6, k 1; p 23.

Row 4—K 11, slip 1, k 11; p 1, k 5, * p 5, k 11 *; repeat between *'s 10 times, p 5, k 5, p 1; k 11, slip 1, k 11.

Row 5—P 23; k 1, p 5, * k 5, p 11 *; repeat between *'s 10 times, k 5, p 5, k 1; p 23.

Row 6—K 11, slip 1, k 11; p 1, k 4, * p 7, k 9 *; repeat between *'s 10 times, p 7, k 4, p 1; k 11, slip 1, k 11.

Row 7—P 23; k 1, p 4, * k 7, p 9 *; repeat between *'s 10 times, k 7, p 4, k 1; p 23.

Row 8—buttonhole row—K 4, bind off 3 sts for buttonhole, k until 4 sts from buttonhole, slip 1, k 4, bind off 3 sts for buttonhole, k until 4 sts from last buttonhole; p 1, k 3, * p 2, k 2, p 1, k 2, p 2, k 7 *; repeat between *'s 10 times, p 2, k 2, p 1, k 2, p 2, k 3, p 1; k 11, slip 1, k 11.

Row 9—P 23; k 1, p 3, * k 2, p 2, k 1, p 2, k 2, p 7 *; repeat between *'s 10 times, k 2, p 2, k 1, p 2, k 2, p 3, k 1; p to end, casting on 3 sts over each buttonhole.

Row 10—K 11, slip 1, k 11; p 1, k 2, * p 3, k 2, p 1, k 2, p 3, k 5 *; repeat between *'s 10 times, p 3, k 2, p 1, k 2, p 3, k 2, p 1; k 11, slip 1, k 11.

Row 11—P 23; k 1, p 2, * k 3, p 2, k 1, p 2, k 3, p 5 *; repeat between *'s 10 times, k 3, p 2, k 1, p 2, k 3, p 2, k 1; p 23.

Row 12—cable twist row—K 11, slip 1, k 11; p 1, k 1, * p 4, slip next 3 sts to hook and hold at back of work, k next 2 sts, slip p st from hook back to left hand needle and p this st, k 2 sts from hook—a cable twist—, p 4, k 3 *; repeat between *'s 10 times, p 4, twist cable on next 5 sts as before, p 4, k 1, p 1; k 11, slip 1, k 11.

Row 13—P 23; k 1, p 1, * k 4, p 2, k 1, p 2, k 4, p 3 *; repeat between *'s 10 times, k 4, p 2, k 1, p 2, k 4, p 1, k 1; p 23.

Row 14—K 11, slip 1, k 11; p 1, * p 5, k 2, p 1, k 2, p 5, k 1 *; repeat between *'s 10 times, p 5, k 2, p 1, k 2, p 6; k 11, slip 1, k 11.

Row 15—P 23; k 1, * k 5, p 2, k 1, p 2, k 5, p 1 *; repeat between *'s 10 times, k 5, p 2, k 1, p 2, k 6; p 23.

Row 16—K 11, slip 1, k 11; p 1, k 1, * p 4, k 2, p 1, k 2, p 4, k 3 *; repeat between *'s 10 times, p 4, k 2, p 1, k 2, p 4, k 1, p 1; k 11, slip 1, k 11.

Row 17—Same as row 13.

Row 18—cable twist row—K 11, slip 1, k 11; p 1, k 2, * p 3, twist cable on next 5 sts as on row 12, p 3, k 5 *; repeat between *'s 10 times, p 3, twist cable on next 5 sts as before, p 3, k 2, p 1; k 11, slip 1, k 11.

Row 19—Same as row 11.

Row 20—Same as row 8, **omitting buttonholes.**

Row 21—Same as row 9, omitting cast-on sts over buttonholes.

Row 22—Same as row 6.

Row 23—Same as row 7.

Row 24—Same as row 4.

Row 25—Same as row 5.

Row 26—Same as row 2.

Row 27—Same as row 3.

Row 28—K 11, slip 1, k 11; p 1, k 7, * p 1, k 15 *; repeat between *'s 10 times, p 1, k 7, p 1; k 11, slip 1, k 11. These 28 rows are repeated for pat. and front borders.

(Continued on Page 42)

Copyright MCMLXVII in U.S.A. and Canada, Bernhard Ulmann Co.

Style No. 3702

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see body measurement chart,* page 51.

	Size 12-14	Size 16-18
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SUPRA MOHAIR	7 balls	8 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Hook, Size 00.

GAUGE: 4 sts = 1 inch 5 rows = 1 inch
To check gauge, see page 51.

MEASUREMENTS OF GARMENT:	**To fit . . . . . 32-34 in. Bust**	**36-38 in. Bust**
At bustline, buttoned . . . . . inches	36	40
Width of back at underarm . . . . . inches	17	19
Width of sleeves at underarm . . . . . inches	14	15

BACK—Cast on 67 (75) sts. K 1 row.
Border Pattern—Row 1—right side—K.

Row 2—K 1, * with yarn at back, slip 1 st as to p, k 1 *; repeat between *'s to end.

Row 3—K.

Row 4—K 2, repeat between *'s of row 2, end last repeat k 2.
Repeat these 4 rows once; repeat rows 1 and 2 once again, increasing 1 st at end of last row; 68 (76) sts.
Work stockinette st—k 1 row, p 1 row—until 11 ins. above border, end with p row. Mark for underarm.

Raglan Shaping—Bind off 3 (4) sts at beg. of each of next 2 rows.

Dec. row—right side—K 2, slip, k and pass, k to within 4 sts of end, k 2 tog., k 2. P 1 row. Repeat last 2 rows 20 (22) times. Place remaining 20 (22) sts on holder for neckband.

LEFT FRONT—Cast on 43 (47) sts. K 1 row. Work 10 rows border pat. as on back.

Left Front Pattern—Row 1—K to within 9 sts of end, place marker on needle, k 9 for front border.

Row 2—K 2, * with yarn at back, slip 1 st as to p, k 1 *; repeat between *'s twice, with yarn at back, slip 1 st as to p; slip marker, p to end.

Row 3—K, slipping marker.

Row 4—K 1, repeat between *'s of row 2, 4 times; slip marker, p to end.
Repeat last 4 rows until same length as back to underarm, end at underarm edge with pat. row 2. Mark for underarm.

Raglan Shaping—Bind off 3 (4) sts at beg. of next row, finish row. Work 1 row even.

Dec. row—right side—K 2, slip, k and pass, finish row.
Keeping front edge even, repeat dec. row every 2nd row 14 (16) times, end at front edge with left front pat. row 1; 25 (26) sts.

Neck Shaping—Work 13 (14) sts and place on holder for neckband, finish row; 12 sts.

Neck and Raglan dec. row—right side—Dec. for raglan as before, work to within 2 sts of end, k 2 tog. at neck edge; 10 sts.
Repeat neck and raglan dec. on every 2nd row 3 times; 4 sts. Work 1 row even.

Next row—K 1, slip 1, k 2 tog., pass slip st over k 2 tog. P these 2 sts. K 2 tog. Fasten off last st.
Mark position of 4 buttons on left front, having first button about 1½ ins. from lower edge, 4th button about 3½ ins. below neck shaping; remaining 2 buttons evenly spaced between; 5th button will be on neckband.

RIGHT FRONT—Cast on 43 (47) sts. K 1 row. Work 8 rows border pat. as on back.

Buttonhole rows—right side—Work 3 sts, bind off 3 sts, finish row. Work next row in pat., casting on 3 sts over buttonhole.

Right Front Pattern—Row 1—K 9 for front border, place marker on needle, k to end.

Row 2—P to marker, slip marker, * with yarn at back, slip 1 as to p, k 1 *; repeat between *'s 3 times, end last repeat k 2.

Row 3—K, slipping marker.

Row 4—P to marker, slip marker, k 1, repeat between *'s of row 2, 4 times. Continuing 9 front border sts in pat. and 34 (38) sts in stockinette st, repeating buttonholes opposite markers, work to correspond to left front up to neck shaping, shaping raglan as for left side of back; 25 (26) sts. Work 1 row even, end at front edge with right front pat. row 2.

Neck Shaping—Work 13 (14) sts and place on holder for neckband; k 2 tog. at neck edge, finish row decreasing raglan as before; 10 sts. Finish to correspond to left front.

SLEEVES—Cast on 39 sts. K 1 row. Work 10 rows border pat. as on back. K next row increasing 7 (11) sts evenly spaced across; 46 (50) sts. Work stockinette st—p 1 row, k 1 row—until 1½ ins. above border. Inc. 1 st each side of next row; repeat inc. each side every 1½ ins. 4 times; 56 (60) sts. Work even until 9¼ ins. above border, end with p row.

Raglan Shaping—Bind off 4 sts at beg. of each of next 2 rows.

Dec. row—right side—K 2, slip, k and pass, k to within 4 sts of end, k 2 tog., k 2. P 1 row. Repeat last 2 rows 20 (22) times. Place remaining 6 sts on holder.

NECKBAND—From wrong side, beg. at left front edge, slip from holders to needle, 13 (14) sts of left front, 6 sts of first sleeve, 20 (22) sts of back, 6 sts of 2nd sleeve; from right side, beg. at right front edge, slip 13 (14) sts of right front to free needle, join yarn and with same needle pick up and k 6 sts on shaped right neck edge; on sts of right sleeve work k 2 tog., k 2, k 2 tog; k across 20 (22) sts of back decreasing 3 (5) sts evenly spaced; on sts of left sleeve work k 2 tog., k 2, k 2 tog.; pick up and k 6 sts on shaped left neck edge; work 13 (14) sts of left front; 63 (65) sts.
Continuing border pat. on 63 (65) sts as on front border, work 3 rows even. On next 2 rows, work a buttonhole as before. Work 4 more rows border pat., end on wrong side. Bind off as to k.

(Continued on Page 34)

Style No. 3703 *(left)*

Sizes 36 and 40

Instructions are for size 36, changes for size 40 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL,"** 2 oz. skeins
or BOTANY SCOTTIE, 2 oz. skeins
or BEAR BRAND, FLEISHER'S or BOTANY WINSOMt, 2 oz. skeins

	Size 36	Size 40
Color A —	6 skeins	6 skeins
Color B —	4 skeins	4 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10½—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 8.

GAUGE: Size 10½ Needles — 5 sts = 1 inch **5 rows = 1 inch**
To check gauge, see page 55.

MEASUREMENTS FOR BLOCKING:

To fit	36 in. Bust	40 in. Bust
At bustline, buttoned ..... inches	41½	43½
Width of back at underarm ..... inches	20	21
Width of sleeves at underarm ..... inches	13½	14½

BACK—With size 8 needles and A, cast on 94 (100) sts. Work k 1, p 1 ribbing for 2½ ins., increasing 5 sts evenly spaced across last row; 99 (105) sts.

Note: Carry yarn not in use loosely across on wrong side of work, catching it when carried over more than 4 sts.

Pattern—Row 1—right side—With size 10½ needles, **for size 36 only,** k 1 A; **(for size 40 only,** k 1 A, 1 B, 2 A), **for both sizes,** * k 3 B, 3 A, 3 B, 2 A, 1 B, 1 A, 2 B, 1 A, 2 B, 1 A, 4 B, 2 A, 3 B, 2 A, 4 B, 1 A, 2 B, 1 A, 2 B, 1 A, 1 B, 2 A *; repeat between *'s once more; end, **size 36 only,** k 3 B, 3 A, 3 B, 1 A; **(size 40 only,** k 3 B, 3 A, 3 B, 2 A, 1 B, 1 A).

Row 2—For size 36 only, p 2 A; **(for size 40 only,** p 1 A, 2 B, 2 A); **for both sizes** — * p 1 B, 5 A, 1 B, 2 A, 2 B, 2 A, 3 B, 2 A, 3 B, 4 A, 1 B, 4 A, 3 B, 2 A, 3 B, 2 A, 2 B, 2 A *; repeat between *'s once more, end, **size 36 only,** p 1 B, 5 A, 1 B, 2 A; **(for size 40 only,** p 1 B, 5 A, 1 B, 2 A, 2 B, 1 A).

(Continued on Page 28)

Style No. 3704 for Men and Women *(right)*

Sizes 34-36, 38-40, 42-44

Instructions are for size 34-36, changes for sizes 38-40 and 42-44 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND or FLEISHER'S FOUR-SEASONS YARN** **or BOTANY JIFFY,** 2 oz. skeins **and BEAR BRAND, FLEISHER'S or BOTANY WIN-SPORTt,** 2 oz. skeins

	Size 34-36	Size 38-40	Size 42-44
Pullover — Color A —	10 skeins	11 skeins	11 skeins
Color B —	6 skeins	7 skeins	7 skeins
Dickey — Color A —	2 skeins	2 skeins	2 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 11 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 8
1 pair "Boye" Needles, Size 4 for Dickey

GAUGE: Size 11 Needles — 7 sts = 2 inches **4 rows = 1 inch** To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit	34-36 in. Chest	38-40 in. Chest	42-44 in. Chest
Width at chest ..... inches	38	42	46
Width of back at underarm ..... inches	19	21	23
Width of sleeve at underarm ..... inches	15½	15½	16½

PULLOVER

BACK—With size 8 needles and A, cast on 66 (72-80) sts. K 1 row, p 1 row for 9 rows for facing. K 1 row inserting needle in back loop of sts for turning ridge.

Pattern—With size 11 needles, k 1 row, p 1 row.

For size 34-36 only—Row 3—right side —K 2 A, * 2 B, 3 A; repeat from *, end last repeat k 2 A.

(For size 38-40 only—Row 3—right side —K 2 B, * 3 A, 2 B; repeat from * to end.

For size 42-44 only—Row 3—right side —K 1 B, * 3 A, 2 B; repeat from *, end last repeat k 1 B).

(Continued on Page 36)

Style No. 3705 *(left)*

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY WINSOMt,** 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins

	Size 12-14	Size 16-18
Color A —	4 skeins	5 skeins
Color B —	3 skeins	4 skeins

KNITTING NEEDLES: "Boye" Needles, 1 pair each Sizes 7 and 8 —
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: Size 8 Needles — Stockinette St — 5 sts = 1 inch **7 rows = 1 inch**
Size 7 Needles — Seed St — 5 sts = 1 inch **8 rows = 1 inch**
To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:	**To fit. . . . . 32-34 in. Bust**	**36-38 in. Bust**
At bustline, buttoned . . . . . inches	38½	43
Width of back at underarm . . . . . inches	18½	20½
Width of sleeves at underarm . . . . . inches	13	14

BACK—With size 7 needles and B, cast on 93 (103) sts.

Row 1—mark this row for wrong side —K 1, * p 1, k 1; repeat from * to end. Repeat this row for seed st. Work even in seed st until 7 rows from beg., end on wrong side. Break B.

Note: Always break yarn when changing colors, leaving enough yarn to sew preceding stripe.

Pattern — "A" Stripe — With size 8 needles and A, k 1 row, p 1 row for 20 rows, end with p row.
"B" Stripe—With size 7 needles and B, k 1 row. Work seed st as for lower edge for 7 rows. Repeat these 28 rows for pat.
Work even in pat. until about 14½ (14¼) ins. from beg., end on wrong side with 8th (6th) row of an "A" stripe. Mark for underarm.

Note: Size 12-14 is ¼ in. longer to underarm than size 16-18 to compensate for difference in length of armhole.
Armholes—With A, bind off 5 sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. With care to keep stripe pat., repeat dec. each side every 2nd row 6 (8) more times; 69 (75) sts. With B, work even until 5th "B" stripe is completed. Break B.

(Continued on Page 46)

Style No. 3718 *(right)*

Sizes 14, 16 and 18

Instructions are for size 14, changes for sizes 16 and 18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY WINSOMt,** 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins

Size 14	Size 16	Size 18
7 skeins	8 skeins	9 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8
—OR SIZE YOU REQUIRE TO KNIT TO GAUGE GIVEN BELOW.
1 pair "Boye" Needles, Size 5.

GAUGE: Size 8 Needles — 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:	**To fit. . . . 34 in. Bust**	**36 in. Bust**	**38 in. Bust**
At bustline, buttoned . . . . . inches	38	40	42
Width of back at underarm . . . . . inches	18	19	20
Width of sleeves at underarm . . . . . inches	14	14½	15

BACK—With size 5 needles, cast on 90 (94-100) sts. Work garter st—k every row—for 22 rows—about 2 ins.—for border.

Pattern—With size 8 needles, k 1 row, p 1 row for 7 rows, end with k row. **Row 8 — Ridge row** — wrong side — K across row for ridge. Repeat these 8 rows for pat. Work even in pat. until 13 (12¾-12½) ins. above border, end on right side with 3rd (first-7th) row above a ridge. Mark for underarm.

Armholes—Bind off 5 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 6 (7-9) times; 68 (70-72) sts. With care to keep pat., work even until 7½ (7¾-8) ins. above underarm marker, end on right side.

Shoulder Shaping—Bind off 7 (8-9) sts at beg. of each of next 2 rows; 7 sts at beg. of each of next 4 rows. Place remaining 26 sts on holder for neck border.

LEFT FRONT—With size 5 needles, cast on 53 (56-58) sts. Work garter st border for 22 rows as for back, end at underarm edge.

(Continued on Page 39)

Style No. 3707

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"** or **BOTANY SCOTTIE,** 2 oz. skeins or **BEAR BRAND, FLEISHER'S or BOTANY WINSOMt,** 2 oz. skeins

6 Plastic Rings 5/8 inch diameter for buttons
6 Rhinestones

Size 12-14	Size 16-18
5 skeins	6 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 5.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 9 Needles — Stockinette St — 9 sts = 2 inches 6 rows = 1 inch
Leaf Pattern Stripe — Blocked 6½ inches

To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit	32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned . . . . . inches	37	41
Width of back at underarm . . . . . inches	17	19
Width of sleeve at underarm . . . . . inches	12½	13½

BACK—With size 5 needles, cast on 72 (80) sts. Work k 1, p 1 ribbing for 9 rows, increasing 6 sts evenly spaced across last row; 78 (86) sts.
With size 9 needles, work stockinette st—k 1 row, p 1 row—until 10 ins. above ribbing, end with p row. Mark for underarm.

Armholes—Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 5 (7) times; 60 (64) sts. Work even until armhole measures 7½ (8) ins. above marker, end with p row.

Shoulder Shaping—Bind off 5 (7) sts at beg. of each of next 2 rows; 7 sts at beg. of each of next 4 rows. Place 22 sts on holder for neck ribbing.

LEFT FRONT—With size 5 needles, cast on 53 (57) sts.

Ribbing—Row 1—wrong side—P 11 for front border and facing, work k 1, p 1 ribbing to end.

Row 2—Work k 1, p 1 ribbing to within 11 sts of end, k 5, with yarn at back of work slip 1 st as to p for turning st, k 5. Repeat last 2 rows 3 times; repeat row 1 once more, increasing 1 st at end of row; 54 (58) sts.

Double Leaf Pattern—Row 1—right side—With size 9 needles, k 14 (18); place a marker on needle for beg. of pat. stripe, p 13, k 3, p 13, place a marker on needle after last st for end of pat. stripe; k 5, slip 1 st as before, k 5 for border.

Row 2—P to marker; slip marker to right needle, k 13, p 3, k 13, slip marker as before, p to end. Continue to slip markers in this way every row. *Note:* Always inc. as to k unless otherwise stated.

Row 3—K to marker; p 11, p 2 tog., inc. 1 st in next st, k 1, inc. 1 st in next st, p 2 tog., p 11; work border.

(Continued on Page 32)

Style No. 3706

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY WINSOMt, 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins

Size 12-14	Size 16-18
6 skeins	6 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.
"Boye" Steel Hook, Size 2.

GAUGE: Size 10 Needles — Stockinette St — 9 sts = 2 inches 6 rows = 1 inch
Pattern Stripe — 33 sts = 6½ inches

To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING: To fit	32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned . . . . . inches	37	41
Width of back at underarm . . . . . inches	16½	18½
Width of sleeve at underarm . . . . . inches	12	13

BACK—With size 6 needles, cast on 64 (72) sts. Work k 1, p 1 ribbing for 12 (14) rows.

Inc. row—Work 1 more row of ribbing increasing 15 sts evenly spaced across row; 79 (87) sts.

Pattern—Row 1—right side—With size 10 needles, k 23 (27); * p 1, k 4, p 1, k 9, yo, slip 1, k 2 tog., pass slip st over k 2 tog., yo, k 9, p 1, k 4, p 1 *; k 23 (27).

Row 2—P 23 (27); * k 1, p 4, k 1, p 1, work 7 sts in next st by knitting in front, back, front, back, front, back, front—for popcorn —, p 17, work 7 sts in next st for popcorn as before, p 1, k 1, p 4, k 1 *; p 23 (27).

Row 3—K 23 (27); * p 1, slip next 2 sts to hook, hold at front of work, k next 2 sts, k 2 sts from hook—a cable twist—, p 1, k 1, slip next 6 sts of popcorn to right needle, k last st of popcorn, then slip the 6 sts slipped to right needle over the last st knitted—this completes popcorn —, k 5, k 2 tog., yo, k 3, yo, slip, k and pass, k 5, slip next 6 sts to right needle, k 1, complete popcorn as before, k 1, p 1, work cable twist on next 4 sts as before, p 1 *; k to end.

Row 4—P 23 (27); * k 1, p 4, k 1, p 3, work 7 sts in next st for popcorn, p 13, work 7 sts in next st for popcorn, p 3, k 1, p 4, k 1 *; p to end.

Row 5—K 23 (27); * p 1, k 4, p 1, k 3, complete popcorn, k 2, k 2 tog., yo, k 5, yo, slip, k and pass, k 2, complete popcorn; k 3, p 1, k 4, p 1 *; k to end.

Row 6—Same as row 2.

Row 7—K 23 (27); * p 1, work cable twist on next 4 sts, p 1, k 1, complete popcorn; k 3, k 2 tog., yo, k 7, yo, slip, k and pass, k 3, complete popcorn; k 1, p 1, work cable twist on next 4 sts, p 1 *; k to end.

Row 8—P 23 (27); * k 1, p 4, k 1, p 21, k 1, p 4, k 1 *; p to end.

Row 9—K 23 (27); * p 1, k 4, p 1, k 6, yo, slip, k and pass, k 5, k 2 tog., yo, k 6, p 1, k 4, p 1 *; k to end.

Row 10—Same as row 2.

(Continued on Page 38)

Style No. 3708

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY WINSOM†,** 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins

Size 12-14	Size 16-18
5 skeins	5 skeins

8 Plastic Rings ½ inch diameter for buttons

KNITTING NEEDLES: 1 pair "Boye" 14-inch Needles, Size 9 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14-inch Needles, Size 7.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 9 Needles — 9 sts = 2 inches **6 rows = 1 inch** To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit	32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned . . . . . inches	38	41½
Width of back at underarm . . . . . inches	17½	19
Width of sleeve at underarm . . . . . inches	14	15½

NECK RIBBING—With size 7 needles, cast on 67 (71) sts.

Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.

Row 2—K 1, p 1, k 1, p 1, k 1 for seed st border; k 1, * p 1, k 1; repeat from * to within 5 sts of end; k 1, p 1, k 1, p 1, k 1 for seed st border.

Row 3—buttonhole row—K 1, p 1, yo, p 2 tog. for buttonhole, k 1; * p 1, k 1; repeat from * to end.

Row 4—Same as row 2.

Row 5—Same as row 1.

Raglan Yoke— Row 1—right side—With size 9 needles, k 1, p 1, k 1, p 1, k 1; k 5 (6), inc. 1 st in next st, k 6 (7), inc. 1 st in next st—left front; place marker on needle; inc. 1 st in next st, k 1, inc. 1 st in next st, k 1, inc. 1 st in next st—left sleeve; place marker on needle, inc. 1 st in next st, k 19, inc. 1 st in next st—back; place marker on needle; inc. 1 st in next st, k 1, inc. 1 st in next st, k 1, inc. 1 st in next st—right sleeve; place marker on needle, inc. 1 st in next st, k 6 (7), inc. 1 st in next st, k 5 (6), k 1, p 1, k 1, p 1, k 1—right front; 79 (83) sts.

Row 2—K 1, p 1, k 1, p 1, k 1; * p to marker, slip marker to right needle; repeat from * 3 times, p to within 5 sts of end; k 1, p 1, k 1, p 1, k 1.

Row 3—K 1, p 1, k 1, p 1, k 1; k 14 (16), inc. 1 st in next st, slip marker to right needle; inc. 1 st in next st, k 6, inc. 1 st in next st, slip marker to right needle; inc. 1 st in next st, k 21, inc. 1 st in next st, slip marker to right needle; inc. 1 st in next st, k 6, inc. 1 st in next st, slip marker to right needle; inc. 1 st in next st, k 14 (16); k 1, p 1, k 1, p 1, k 1; 87 (91) sts.

Row 4—K 1, p 1, k 1, p 1, k 1; p to within 5 sts of end, slipping markers; k 1, p 1, k 1, p 1, k 1.

(Continued on Page 31)

Style No. 3709

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 51.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY WINSOM†,** 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins

Size 12-14	Size 16-18
5 skeins	5 skeins

8 Plastic Rings ½ inch diameter for buttons

KNITTING NEEDLES: 1 pair "Boye" 14-inch Needles, Size 9 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14-inch Needles, Size 7.
"Boye" Hook, Size G (5)
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 9 Needles — 9 sts = 2 inches **6 rows = 1 inch** To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit		32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned	inches	38	41½
Width of back at underarm	inches	17½	19
Width of sleeve at underarm	inches	14	15½

NECK RIBBING—With size 7 needles, cast on 67 (71) sts.

Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Row 3—buttonhole row—K 1, p 1. yo, p 2 tog. for buttonhole, k 1; * p 1, k 1; repeat from * to end.

Row 4—Same as row 2.

Row 5—Same as row 1.

Raglan Yoke—Row 1—right side—With size 9 needles, p 1, k 1, p 1, k 1, p 1; k 4 (5), inc. 1 st in next st, k 4 (5), inc. 1 st in next st—left front; place marker on needle, k 4 for raglan cable; inc. 1 st in each of next 3 sts—left sleeve; place marker on needle, k 4 for raglan cable; inc. 1 st in next st, k 13, inc. 1 st in next st—back; place marker on needle, k 4 for raglan cable; inc. 1 st in each of next 3 sts—right sleeve; place marker on needle, k 4 for raglan cable; inc. 1 st in next st, k 4 (5), inc. 1 st in next st, k 4 (5); p 1, k 1, p 1, k 1, p 1—right front; 79 (83) sts.

Row 2—K 1, p 1, k 1, p 1, k 1; * p to marker, slip marker to right needle; repeat from * 3 times, p to within 5 sts of end, k 1, p 1, k 1, p 1, k 1.

Row 3—cable twist row—P 1, k 1, p 1, k 1, p 1; * k to within 2 sts of marker, inc. 1 st in next st, k 1, slip marker to right needle; slip next 2 sts to hook and hold in front of work, k next 2 sts, k 2 sts from hook—left cable twist, inc. 1 st in next st, k to within 2 sts of marker, inc. 1 st in next st, k 1, slip marker to right needle; slip next 2 sts to hook and hold in **back** of work, k next 2 sts, k 2 sts from hook—right cable twist; inc. 1 st in next st; repeat from * once, k to within 5 sts of end, p 1, k 1, p 1, k 1, p 1; 87 (91) sts.

Row 4—Same as row 2.

(Continued on Page 43)

Style No. 3710

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart*, page 51.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY WINSOM†,** 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins

Size 12-14	Size 16-18
6 skeins	6 skeins

KNITTING NEEDLES: 1 pair "Boye" 14-inch Needles, Size 10½ — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14-inch Needles, Size 6.
"Boye" Hook, Size F (4).

GAUGE: Size 10½ Needles — 5 sts = 1 inch **6 rows = 1 inch** To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit		32-34 in. Bust	36-38 in. Bust
Cardigan — Width at bustline, buttoned	inches	38½	42
Width of back at underarm	inches	18½	20
Width of sleeve at underarm	inches	12½	13¼
Pullover — Width at bustline	inches	37½	41
Width of back at underarm	inches	18	19½
Width of sleeve at underarm	inches	12½	13¼

CARDIGAN

BODY—With size 6 needles, cast on 212 (228) sts for lower edge of back and fronts.

Ribbing—Row 1—wrong side—P 13 for left front border and facing, k 2, * p 2, k 2; repeat from * to within 13 sts of end, p 13 for right front border and facing.

Row 2—K 6, with yarn at back, slip 1 st as to p for turning st, k 6; p 2, * k 2, p 2; repeat from * to within 13 sts of end, k 6, slip 1 st as before for turning st, k 6. Repeat these 2 rows until 7 (9) rows from beg., end on wrong side.

Row 8 (10)—buttonhole row—K 2, bind off 2 sts for buttonhole, k to turning st and slip it as before, k 2, bind off 2 sts for buttonhole, k 2; finish as for row 2.

Row 9 (11)—Work as for row 1, casting on 2 sts over each buttonhole. Repeat sets of buttonholes every 19th and 20th row, having 18 rows between buttonholes, working pat. as follows:

Pattern—Row 1—cable twist row—right side—With size 10½ needles, k 6, slip turning st, k 6; p 2, * slip next 2 sts to hook and hold at front of work, k next 2 p sts, p next 2 k sts, k 2 sts from hook, p 2 *; repeat between *'s to within 13 sts of end; k 6, slip turning st, k 6.

Row 2—P 13, k 2, * p 2, k 2; repeat from * to within 13 sts of end, p 13.

Row 3—K 6, slip turning st, k 6; p 2, * k 2, p 2; repeat from * to within 13 sts of end; k 6, slip turning st, k 6.

Row 4—Work as for row 2.

Row 5—Work as for row 3.

Row 6—Work as for row 2.

Row 7—cable twist row—K 6, slip turning st, k 6; p 2, k 2, p 2; repeat between *'s of row 1 to within 17 sts of end, k 2, p 2; k 6, slip turning st, k 6.

Repeat rows 2, 3, 4, 5 and 6 once more. Repeat these 12 rows for pat.

Work even in pat. until 59 (57) rows above ribbing—about 10 (9½) ins. —, end on right side with pat. row 11 (9).

Row 60 (58) — Dividing row—wrong side—Work first 57 (59) sts and slip to holder for left front; bind off next 6 (10) sts for left underarm; work until 86 (90) sts from underarm bind-off ; slip these sts to separate holder for back; bind off next 6 (10) sts for right underarm; work to end for right front; 57 (59) sts.

RIGHT FRONT — Row 1—Work across row **(binding off for buttonholes on size 16-18 only),** and with care to keep pat., dec. 1 st at armhole edge. Keeping front edge even, repeat dec. at armhole edge every 2nd row 6 (7) more times; 50 (51) sts. Continue even in pat., repeating buttonholes as before, until 32 (34) rows above dividing row, end on wrong side at front edge with pat. row 8. There will be 12 rows above 5th set of buttonholes.

Neck Shaping—Work first 25 sts and slip to holder for neck ribbing, finish row; 25 (26) sts. Work 1 row even. Keeping armhole edge even, dec. 1 st at neck edge every row 6 times; 19 (20) sts.

Continue in pat. until 45 (47) rows—about 7½ (8) ins.—above dividing row, end on right side at armhole edge.

Shoulder Shaping—Row 1—Bind off 10 sts, finish row.

Row 2—Work even. Bind off remaining 9 (10) sts to complete shoulder.

LEFT FRONT—Beg. at front edge, take up 57 (59) sts of left front from holder, join yarn at underarm, and with size 10½ needles, from right side, dec. 1 st at armhole edge, finish row. Repeat dec. at armhole edge every 2nd row 6 (7) times more; 50 (51) sts. Work even until 31 (33) rows above dividing row, end on right side at front edge with pat. row 7.

Neck Shaping—Work first 25 sts and slip to holder for neck ribbing, finish row; 25 (26) sts. Work 1 row even. Keeping armhole edge even, dec. 1 st at neck edge every row 6 times; 19 (20) sts. Work even until 44 (46) rows above dividing row, end on wrong side at armhole edge.

Shoulder Shaping—Row 1—Bind off 10 sts, finish row.

Row 2—Work even.

Bind off remaining 9 (10) sts.

BACK—Beg. at left underarm edge, take up 86 (90) sts of back from holder, join yarn at right underarm and with size 10½ needles, beg. on right side, work pat. decreasing 1 st each side of next row and repeating dec. each side every 2nd row 6 (7) more times; 72 (74) sts. Work even until 37 (39) rows above dividing row, end on right side with pat. row 1.

Neck Shaping—Work 21 (22) sts and slip to holder for left half of back; work next 30 sts and slip to holder for neck ribbing, finish row for right half of back; 21(22) sts.

Continue on sts of right half, keeping armhole edge even, dec. 1 st at neck edge every row twice; 19 (20) sts. Work even until 44 (46) rows above dividing row, end on wrong side at armhole edge. Shape shoulder same as shoulder of left front.

Take up the 21 (22) sts of left half, join yarn at neck edge and finish to correspond to right half, shaping shoulder as for shoulder of right front when there are 45 (47) rows above dividing row.

SLEEVES—With size 6 needles, cast on 38 sts.

Ribbing—Row 1—wrong side—K 2, * p 2, k 2; repeat from * to end.

Row 2—P 2, * k 2, p 2; repeat from * to end. Repeat these 2 rows until 9 rows from beg., end on wrong side.

Inc. row—Work ribbing on first 13 sts; k next 12 sts increasing 1 st in every st; finish row in ribbing; 50 sts.

Next row—Work same as row 1.

Pattern—Row 1—cable twist row—right side—With size 10½ needles, p 2, repeat between *'s of pat. row 1 of body to end.

Row 2—K 2, * p 2, k 2; repeat from * to end.

Row 3—P 2, * k 2, p 2; repeat from * to end.

(Continued on Page 47)

Style No. 3712

Instructions are for size 32, changes for sizes 34, 36, 38, 40 and 42 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND TWIN-PAK DELUXE KNITTING WORSTED**
or FLEISHER'S TWIN-PAK SUPERIOR KNITTING WORSTED
or BOTANY TWIN-PAK KNITTING WORSTED, 4 oz. paks
or BEAR BRAND, FLEISHER'S or BOTANY TWIN-PAK WIN-KNIT†, 3 oz. paks

Size	32	34	36	38	40	42
paks	6	6	7	7	8	8
	8	8	9	10	11	11

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 6 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size F (4).

GAUGE: Before blocking — 13 sts = 2 inches **7 rows = 1 inch**
After blocking — 11 sts = 2 inches **7 rows = 1 inch**
To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit	32 in. Bust	34 in. Bust	36 in. Bust	38 in. Bust	40 in. Bust	42 in. Bust
Width at bustline . . . . . inches	40	41½	44	45½	48	50
Width of back at underarm . . . . . inches	18	19	20	21	22	23
Width of sleeve at underarm . . . . . inches	14	14½	15	15½	16	16½

BACK—Cast on 99 (105-111-115-121-127) sts.

Pattern—Row 1—right side—K 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Row 3—Same as row 1.

Row 4—wrong side—same as row 1.

Row 5—Same as row 2.

Row 6—Same as row 1.

Repeat these 6 rows for pat.

Work even in pat. until 15½ ins. from beg., end with pat. row 6. Mark for underarm.

Armholes—Bind off 4 (5-5-6-6-7) sts at beg. of next 2 rows. With care to keep pat., dec. 1 st each side every 2nd row 7 (8-9-9-11-11) times; 77 (79-83-85-87-91) sts. Work even until armhole measures 7½ (7¾-8-8¼-8½-8¾) ins. above underarm marker, end with pat. row 4 (6-2-4-6-2).

Shoulder—Bind off 5 (6-7-4-5-6) sts at beg. of next 2 rows; 5 (5-5-6-6-6) sts at beg. of next 8 rows. Place remaining 27 (27-29-29-29-31) sts on holder for back of neck.

POCKET LININGS—Cast on 33 (33-35-35-37-37) sts. Work even in pat. for 6 ins., end with pat. row 6. Break yarn, place sts on holder. Make 2.

LEFT FRONT—Cast on 68 (70-74-76-80-82) sts.

Row 1—right side—Work pat. for 53 (55-59-61-65-67) sts, p 15 for border and facing.

Row 2—K 7 for border, sl 1 as to p for turning st, k 7 for facing, work pat. to end.

Repeat these 2 rows until 6 ins. from beg., end at front edge, with pat. row 5.

Divide for Pocket Opening—Work 25 (27-27-29-29-31) sts, bind off in pat. next 33 (33-35-35-37-37) sts, work to end.

Next row—Work 10 (10-12-12-14-14) sts, take up and work 33 (33-35-35-37-37) sts of pocket lining, work to end. Work even until same length as back to armhole, end with pat. row 6 at underarm edge. Mark for underarm.

Armhole—Bind off 7 (7-9-8-9-8) sts at beg. of next row, work to end. Shape armhole as on right armhole of back; 54 (55-56-59-60-63) sts.

Work even until same length as back to shoulder, end with pat. row 4 (6-2-4-6-2).

Shoulder—Bind off 5 (6-7-4-5-6) sts at beg. of next row, work to end. Complete shoulder as on right shoulder of back, end at front edge with pat. row 1 (3-5-1-3-5).

Work across remaining 29 (29-29-31-31-33) sts. Place on holder for collar. Break yarn.

RIGHT FRONT—Cast on 68 (70-74-76-80-82) sts.

Row 1—right side—P 15 sts for border and facing; work pat. on remaining 53 (55-59-61-65-67) sts.

Row 2—Work pat. on 53 (55-59-61-65-67) sts; k 7 for facing, sl 1 st for turning st, k 7 for border.

Work to correspond to left front up to pocket opening, end at underarm edge with pat. row 5.

Divide for Pocket Opening—Work 10 (10-12-12-14-14) sts, bind off in pat. 33 (33-35-35-37-37) sts, work to end. Work to correspond to left front, shaping armhole and shoulder at opposite side, end at front edge with pat. row 2 (4-6-2-4-6). Work across remaining 29 (29-29-31-31-33) sts and leave on needle. Do not break yarn. Mark for beg. of collar.

COLLAR—With free needle, beg. at left front edge, take up 29 (29-29-31-31-33) sts of collar; 27 (27-29-29-29-31) sts of back of neck and work these sts to needle holding sts of right front of collar; 85 (85-87-91-91-97) sts.

Continuing border and facing at each edge, work even until about 3½ ins. above marker for beg. of collar, end at left front edge with pat. row 3. Begin border for collar; continuing sl st as before, work k 1 row, p 1 row for 11 rows, end at right front edge. Bind off 15 sts of border as to k; k to within 15 sts of end for turning ridge of collar; bind off last 15 sts as to k. Break yarn. Join yarn in last st on needle, k 1 row, p 1 row for 10 rows for facing. Bind off 55 (55-57-61-61-67) sts.

SLEEVES—Cast on 49 (51-53-55-57-59) sts.

Work even in pat. for 3 ins. Inc. 1 st each side on next row; repeat inc. each side every ¾ in. 10 (10-12-12-14-14) times; every 1½ ins. 3 (3-2-2-1-1) times; 77 (79-83-85-89-91) sts.

Work even until 17 ins. from beg., end with pat. row 6.

Bind off 6 (6-7-7-8-8) sts at beg. of next 2 rows. Dec. 1 st each side every 2nd row 13 (14-15-16-17-18) times. Bind off 2 sts at beg. of next 10 rows. Bind off 19 sts.

FINISHING—From right side, work 1 row sc on edge of pocket openings. Sew seams. Beg. at lower left front edge, with k side of border toward you, work 1 row sl st on edge to beg. of border on collar keeping work flat.

(Continued on Page 46)

Style No. 3713

Sizes 32-34 and 36-38

Instructions are for size 32-34, changes for size 36-38 are in parentheses, *see measurement chart,* page 51.

MATERIALS:		Size 32-34	Size 36-38
BEAR BRAND TWIN-PAK DELUXE KNITTING WORSTED,			
or FLEISHER'S TWIN-PAK SUPERIOR KNITTING WORSTED,	*Purple* — Color A —	4 paks	4 paks
or BOTANY TWIN-PAK KNITTING WORSTED, 4 oz. paks	*White* — Color B —	2 paks	2 paks
	Pink — Color C —	2 paks	2 paks

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 7.

GAUGE: Size 10 Needles — 19 sts = 4 inches **11 rows = 2 inches** To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING: To fit	32-34 in. Bust	36-38 in. Bust
Width at bustline . . . . . inches	36	41
Width of back at underarm . . . . . inches	18	20½
Width of sleeve at underarm . . . . . inches	17	18

BACK—With size 7 needles and A, cast on 85 (97) sts. Work stockinette st—p 1 row, k 1 row—for 8 rows for hem, end with k row. K 1 row from wrong side inserting needle in back of sts for turning ridge. Begin pat.

Pattern—Row 1—right side—With size 10 needles, k across row.

Row 2—P across row.

Row 3—Join B, with B, k 1, * with A, k 3; with B, k 1; repeat from * across row.

Note: Carry yarn not in use loosely across on wrong side, catching it when carried over more than 4 sts.

Row 4—With B, p 2, * with A, p 1; with B, p 3; repeat from * across row, end with B, p 2.

Beg. with row 5 on chart No. 1, see page 41, continue pat., in stockinette st to end of chart—42 rows above turning ridge. Repeat the 42 rows of pat. once—84 rows above turning ridge—about 15½ ins. Mark for underarm.

Armholes—Continuing pat., bind off 12 sts at beg. of each of next 2 rows for underarm; 61 (73) sts. Work even until 8¾ ins. above underarm marker, end on wrong side with row 6 on chart. Break off B and C.

(For size 36-38 only — With size 7 needles and A, k 1 row, p 1 row).

Shoulder and Neck Shaping for Both Sizes—With size 7 needles and A, bind off 4 sts at beg. of each of next 6 (8) rows; 37 (41) sts. K 1 row, p 1 row for 5 rows, end with k row. K 1 row from wrong side for turning ridge.

Facing—K 1 row, p 1 row for 4 rows. Cast on 4 sts at beg. of each of next 6 (8) rows; 61 (73) sts. Bind off 9 (12) sts at beg. of each of next 4 rows. Bind off 25 sts.

FRONT—Same as back.

(Continued on Page 41)

Style No. 3714

Sizes 14, 16, 18

Instructions are for size 14, changes for sizes 16 and 18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: **BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"** or **BOTANY SCOTTIE,** 2 oz. skeins
or **BEAR BRAND, FLEISHER'S or BOTANY WINSOM†,** 2 oz. skeins

	Size 14	Size 16	Size 18
Color A —	6 skeins	7 skeins	7 skeins
Color B —	2 skeins	2 skeins	2 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 5.

GAUGE: Size 8 Needles — 5 sts = 1 inch **7 rows = 1 inch** To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit	34 in. Bust	36 in. Bust	38 in. Bust
Width at bustline, buttoned . . . . . inches	38	40	42
Width of back at underarm . . . . . inches	18	19	20
Width of sleeve at underarm . . . . . inches	13	13½	14

BACK—With size 5 needles and A, cast on 91 (95-99) sts.

Ribbing—Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.
Repeat these 2 rows until 11 rows from beg., end with row 1.
With size 8 needles, k 1 row, p 1 row. Begin pat.

Note: Carry color not in use loosely across on wrong side, catching it when carried over more than 4 sts.

Pattern—Row 1—right side—With A, k 15 (17-19), * place marker on needle, k 10 A, 1 B, 3 A, 1 B, 10 A, place 2nd marker on needle *; k 11 A; repeat between *'s once, joining 2nd ball of B, k 15 (17-19) A.

Row 2—P 15 (17-19) A, * slip marker, p 11 A, 3 B, 11 A, slip marker *; p 11 A; repeat between *'s once, p 15 (17-19) A.
Beg. with row 3 of chart No. 1, page 35, continue to work a snowflake motif on the 25 sts between markers, following pat. as on chart for 23 rows more, slipping markers. Break B.
With A, work stockinette st—p 1 row, k 1 row—until 6½ ins. above ribbing, end with a p row, having about 19 rows above the snowflake motifs. Repeat the 25 rows of pat., completing the 2nd group of motifs. With A, work stockinette st for same number of rows as between first and 2nd groups, end with a p row—about 13 ins. above ribbing. Work first pat. row of 3rd group of motifs. Mark for underarm.

Armholes — Continuing pat. between markers, bind off 5 (5-6) sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 7 (8-8) times; 67

(Continued on Page 34)



Style No. 3715

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 51.

	Size 12-14	Size 16-18
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY TWIN-PAK WIN-KNIT†, 3 oz. paks	5 paks	5 paks

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10½ — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 8.

GAUGE: Size 10½ Needles — Pattern — 4 sts = 1 inch 6 rows = 1 inch
Stockinette St — 4 sts = 1 inch 5 rows = 1 inch

To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

		To fit	32-34 in. Bust	36-38 in. Bust
Cardigan —	Width at bustline, buttoned	inches	37¾	41¾
	Width of back at underarm	inches	18¼	20¼
	Width of each front, including border	inches	10½	11½
	Width of sleeve at underarm	inches	13	14
Pullover —	Width at bustline	inches	36½	40½
	Width of back at underarm	inches	18¼	20¼
	Width of sleeve at underarm	inches	13	14

CARDIGAN

BACK—With size 8 needles, cast on 73 (81) sts.

Ribbing—Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end. Repeat rows 1 and 2, 6 times; row 1 once, end on wrong side. Mark for end of ribbing.

Pattern—Row 1—right side—With size 10½ needles, k 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Row 3—P 1, * k 1, p 1 *; repeat between *'s 16 (18) times; k 3, p 1; repeat between *'s to end.

Row 4—K 1, * p 1, k 1 *; repeat between *'s 16 (18) times, p 3, k 1; repeat between *'s to end.

Row 5—* K 1, p 1; repeat from * 16 (18) times, k 5, ** p 1, k 1; repeat from ** to end.

Row 6—* P 1, k 1; repeat from * 16 (18) times, p 5, ** k 1, p 1; repeat from ** to end.

Row 7—P 1, * k 1, p 1*; repeat between *'s 15 (17) times, k 7, p 1; repeat between *'s to end.

Row 8—K 1, * p 1, k 1 *; repeat between *'s 15 (17) times, p 7, k 1; repeat between *'s to end.

Row 9—* K 1, p 1; repeat from * 15 (17) times, k 9, ** p 1, k 1; repeat from ** to end.

Row 10—* P 1, k 1; repeat from * 15 (17) times, p 9, ** k 1, p 1; repeat from ** to end.

Beg. with row 11 follow chart No. 1, see page 50, shifting pat. every 2nd row, having 1 st less in pat. st on each side and 2 sts more in stockinette st until 18 rows of pat. have been completed and there are 17 sts in stockinette st.

Row 19—right side—P 1, * k 1, p 1*; repeat between *'s 12 (14) times, k 9, p 1, k 9, p 1; repeat between *'s to end.

Row 20—K 1, * p 1, k 1 *; repeat between *'s 12 (14) times, p 9, k 1, p 9, k 1; repeat between *'s to end.

Row 21—* K 1, p 1; repeat from * 12 (14) times, k 9, p 1, k 1, p 1, k 9, ** p 1, k 1; repeat from ** to end.

Row 22—* P 1, k 1; repeat from * 12 (14) times, p 9, k 1, p 1, k 1, p 9 ** k 1, p 1; repeat from ** to end.

Row 23—P 1, * k 1, p 1 *; repeat between *'s 11 (13) times, k 9, p 1, k 1, p 1, k 1, p 1, k 9, p 1; repeat between *'s to end.

Row 24—K 1, * p 1, k 1 *; repeat between *'s 11 (13) times, p 9, k 1, p 1, k 1, p 1, k 1, p 9, k 1; repeat between *'s to end.

Continue to follow chart until 68 (64) rows —about 11½ (10½) ins.—above ribbing, end on wrong side. Mark for underarm.

NOTE—Difference in depth of armhole compensates for difference in length to underarm.

Armholes—Continuing to follow chart and with care to keep pat. bind off 4 (5) sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Dec. 1 st each side every 2nd row 3 (4) times more; 57 (61) sts.

Work even in pat. until 44 (48) rows—about 7½ (8) ins.—above underarm, end on wrong side.

Shoulder Shaping — Continuing to follow chart, bind off 4 (5) sts at beg. of each of next 4 rows; 5 sts at beg. of each of next 4 rows, end on wrong side.

Place remaining 21 sts on holder for neck.

LEFT FRONT—With size 8 needles, cast on 42 (46) sts.

Ribbing—Row 1—wrong side—K 1, p 1, k 1, p 1, k 1, p 1 place marker on right needle to mark front border; * k 1, p 1; repeat from * to end. Carry marker.

Row 2—* K 1, p 1; repeat from * to marker, slip marker to right needle, p 1, k 1, p 1, k 1, p 1, k 1.

Row 3—P 1, k 1, p 1, k 1, p 1, k 1; * k 1, p 1; repeat from * to end.

Row 4—* K 1, p 1; repeat from * to marker; k 1, p 1, k 1, p 1, k 1, p 1.

Repeat rows 1 through 4 twice; rows 1 through 3 once, end on wrong side at side edge.

Pattern—Row 1—right side—With size 10½ needles, continuing to carry marker, * k 1, p 1; repeat from * to end.

Row 2—Same as row 1.

Row 3—* P 1, k 1; repeat from * to end.

Row 4—Same as row 3.

Row 5—* K 1, p 1; repeat from * to within 2 sts of marker, k 3, p 1, k 1, p 1, k 1, p 1.

Row 6—K 1, p 1, k 1, p 1, k 1, p 3; * k 1, p 1; repeat from * to end.

Beg. with row 7 on chart No. 2, see page 50, follow chart until 68 (64) rows—about 11½ (10½) ins.—above ribbing, end on wrong side at side edge. Mark for underarm.

Armhole—Continuing to follow chart and with care to keep pat. bind off 4 (5) sts at beg. of next row; 38 (41) sts. Dec. 1 st at armhole edge every 2nd row 4 (5) times; 34 (36) sts. Work until 34 (38) rows—about 5¾ (6¼) ins.—above underarm marker, end on wrong side at armhole edge.

Neck Shaping—Work to within 9 sts of end, place these 9 sts on holder for neck. At neck edge dec. 1 st every row 7 times. Work even until 44 (48) rows above underarm, end at armhole edge.

Shoulder Shaping—Bind off 4 (5) sts at beg. of next row, finish row. Bind off 4 (5) sts at beg. of every 2nd row once; 5 sts twice.

RIGHT FRONT—With size 8 needles, cast on 42 (46) sts.

(Continued on Page 49)

Style No. 3716

Sizes 14 and 16

Instructions are for size 14, changes for size 16 are in parentheses, *see measurement chart,* page 51.

MATERIALS: BEAR BRAND or FLEISHER'S FOUR SEASONS YARN or BOTANY JIFFY, 2 oz. skeins

Size 14	Size 16
9 skeins	9 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 11 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 9.
"Boye" Hook, Size G (5).

GAUGE: Size 11 Needles — 13 sts = 4 inches 17 rows = 4 inches To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit		34 in. Bust	36 in. Bust
Width at bustline, buttoned	inches	38	40
Width of back at underarm	inches	17½	18½
Width of sleeve at underarm	inches	14½	15½

LEFT BACK ARMHOLE CABLE BORDER—With size 11 needles, cast on 3 sts.

Row 1—right side—K 1, p 1, k 1; cast on 2 sts.

Row 2—P 1, k 1, p 1, k 1, p 1.

Row 3—K 1, p 1, k 1, p 1, k 1; cast on 2 sts; 7 sts.

Row 4—P 1, * k 1, p 1; repeat from * to end.

Row 5—cable twist row—K 1, p 1, * slip next 2 sts to crochet hook, hold at front of work, k next st, slip the p st from hook to left needle and p this st, k st from hook *, p 1, k 1.

Row 6—Same as row 4.

Row 7—K 1, * p 1, k 1; repeat from * to end.

Row 8—Same as row 4. Break yarn and place sts on holder.

RIGHT BACK ARMHOLE CABLE BORDER—With size 11 needles, cast on 3 sts.

Row 1—right side—K 1, p 1, k 1.

Row 2—P 1, k 1, p 1; cast on 2 sts.

Row 3—K 1, * p 1, k 1; repeat from * to end.

Row 4—P 1, k 1, p 1, k 1, p 1; cast on 2 sts; 7 sts.

Row 5—cable twist row—K 1, p 1, repeat between *'s of row 5 of left back armhole cable border, p 1, k 1.

Row 6—P 1, * k 1, p 1; repeat from * to end.

Row 7—K 1, * p 1, k 1; repeat from * to end.

Row 8—Same as row 6.

Row 9—Same as row 5. Break yarn and place sts on holder.

BACK—With size 9 needles, cast on 49 (53) sts.

Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.

(Continued on Page 40)

Style No. 3719

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY WINSOM†, 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins
6 Plastic Rings ½ inch diameter for buttons

Size 12-14	Size 16-18
6 skeins	6 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 5.
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 9 Needles — 9 sts = 2 inches 6 rows = 1 inch
Pattern Stripe — 41 sts = 6½ inches To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit		32-34 in. Bust	36-38 in. Bust
Width at bustline, buttoned	inches	37½	41½
Width of back at underarm	inches	17	19
Width of sleeve at underarm	inches	12½	13½

BACK—With size 5 needles, cast on 73 (81) sts.

Ribbing—Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end. Repeat these 2 rows until 9 rows from beg., increasing 5 sts evenly spaced across last row of ribbing; 78 (86) sts.

With size 9 needles, work stockinette st—k 1 row, p 1 row—until 62 (60) rows—about 10½ (10) ins. above ribbing, end with p row. Mark for underarm.

Note: There are 2 rows more to underarm on size 12-14 than on size 16-18. Difference will be adjusted in length of armhole.

Armholes—Bind off 4 (4) sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 4 (6) times; 60 (64) sts. Work even until 46 (48) rows—about 7½ (8) ins. above underarm marker, end with p row.

Shoulders—Bind off 7 (7) sts at beg. of each of next 2 rows; 6 (7) sts at beg. of each of next 4 rows. Place remaining 22 (22) sts on strand of yarn for neck ribbing.

(Continued on Page 48)

Style No. 3716

Style No. 3719

Style No. 3717

Sizes 12-14 and 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 51.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY WINSOM†, 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. skeins

	Size 12-14	Size 16-18
Cardigan —	6 skeins	6 skeins
Pullover —	6 skeins	6 skeins

6 Plastic Rings 1½ diameter for buttons

KNITTING NEEDLES: For Cardigan or Pullover Size 12-14 — 1 pair "Boye" 14-inch Needles, Size 8
— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14-inch Needles, Size 5.
"Boye" Hook, Size F (4).
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 8 Needles — 11 sts = 2 inches 15 rows = 2 inches To check gauge, see page 51.

For Cardigan or Pullover Size 16-18 — 1 pair "Boye" 14-inch Needles, Size 9
— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14-inch Needles, Size 6.
"Boye" Hook, Size F (4).
"Boye" Steel Hook, Size 2 for buttons.

GAUGE: Size 9 Needles — 5 sts = 1 inch 7 rows = 1 inch To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

		To fit	32-34 in. Bust	36-38 in. Bust
Cardigan —	Width at bustline, buttoned	inches	38	42
	Width of back at underarm	inches	17½	19
	Width of sleeve at underarm	inches	12½	13½
Pullover —	Width at bustline	inches	36	39
	Width of back at underarm	inches	18	19½
	Width of sleeve at underarm	inches	12½	13½

CARDIGAN

BODY—With size 5 (6) needles, cast on 191 sts for lower edge of back and fronts.

Ribbing—Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.

Row 2—K 1, p 1, k 1, p 1, k 1 for seed st border; k 1, * p 1, k 1; repeat from * to within 5 sts of end; k 1, p 1, k 1, p 1, k 1 for seed st border.
Repeat rows 1 and 2 twice (once). Repeat row 1 again.

Row 8 (6)—buttonhole row—K 1, p 2 tog., yo for buttonhole, p 1, k 1; k 1, * p 1, k 1; repeat from * to within 5 sts of end; k 1, p 1, k 1, p 1, k 1.
Repeat rows 1 and 2 until there are 18 (16) rows from beg.

Inc. row—K 1, p 1, k 1, p 1, k 1; p 1, inc. 1 st in next st, * work 7 sts in ribbing, inc. 1 st in next st; repeat from * 21 times more, work ribbing to within 5 sts of end; k 1, p 1, k 1, p 1, k 1; 214 sts.

PATTERN—Row 1 — right side — With size 8 (9) needles, work 5 sts in seed st as before; k to within 5 sts of end; work 5 sts in seed st.

Row 2—Work 5 sts seed st; p 1, k 2, * p 6, k 2; repeat from * to within 6 sts of end, p 1; work 5 sts seed st.

Row 3—Work 5 sts seed st; k to within 5 sts of end; work 5 sts seed st.

Row 4—Work 5 sts seed st; p 1, k 2, * p 6, k 2; repeat from * to within 6 sts of end, p 1; work 5 sts seed st.
Repeat rows 3 and 4, 3 times more.

Row 11—Work 5 sts seed st; † * k next st wrapping yarn twice around needle instead of once, k 2, k next st wrapping yarn twice around needle *, k 4; repeat from † to within 9 sts of end, repeat between *'s once; work 5 sts seed st.

Row 12—Work 5 sts seed st; † * bring yarn to front of work and slip next st as to p dropping extra wrap, take yarn to back and k 2, bring yarn to front and slip next st as to p, dropping extra wrap, take yarn to back *, k 4; repeat from † to within 9 sts of end, repeat between *'s once; work 5 sts seed st.

Row 13—Work 5 sts seed st; † * with yarn at back of work, slip next st as to p, k 2, with yarn at back, slip next st as to p *, k 4; repeat from † to within 9 sts of end, repeat between *'s once; work 5 sts seed st.

Row 14—Work 5 sts seed st; † * bring yarn to front and slip next st as to p, take yarn to back and k 2, bring yarn to front and slip next st as to p, take yarn to back *, k 4; repeat from † to within 9 sts of end, repeat between *'s once; work 5 sts seed st.

Row 15—twist row—Work 5 sts seed st, repeating buttonhole as before; † * slip next long st to hook and hold at front, skip next 2 sts on left needle, k into front loop of next long st but do not drop from left needle, k the 2 skipped sts, drop long st from left needle, k st from hook *, k 4; repeat from † to within 9 sts of end; repeat between *'s once; work 5 sts seed st.

Row 16—Same as row 4.
Repeat last 14 rows—row 3 to 16 inclusive—for pat. and seed st borders, repeating buttonhole every 26th row until there are 71 rows—about 9½ (10) ins.—above ribbing, end on right side with pat. row 15.

Dividing row—wrong side—Work 54 sts and place on strand of yarn for left front, bind off 10 sts in pat. for underarm; work until there are 86 sts from underarm, place these sts on strand of yarn for back, bind off next 10 sts in pat. for underarm, finish row; 54 sts for right front.

RIGHT FRONT—Row 1—Work across row, decreasing 1 st at end for armhole.
Keeping front edge even and repeating buttonhole every 26th row as before, repeat dec. at armhole edge every 2nd row 4 times more, keeping pat.; 49 sts. Work even until 42 rows above dividing row, end on wrong side with pat. row 16; 21 rows above 5th buttonhole.

Neck Shaping—Row 1—Work 16 sts and place them on strand of yarn for neckband, finish row.
Work 1 row even. Dec. 1 st at neck edge every row 8 times; 25 sts.
Work 3 rows even, end at armhole edge with pat. row 15.

Shoulder Shaping—Row 1 — Bind off 8 sts, finish row.
Work 1 row even. Repeat last 2 rows once. Bind off remaining 9 sts.

BACK—From wrong side, slip 86 sts of back to size 8 (9) needle.

(Continued on Page 44)

Style No. 3720 *(left)*

Sizes 10-12, 14-16, 18-20.

Instructions are for size 10-12, changes for sizes 14-16 and 18-20 are in parentheses, *see measurement chart,* page 51.

	Size 10-12	Size 14-16	Size 18-20
MATERIALS: BEAR BRAND OR FLEISHER'S GIGANTIC or BOTANY COLOSSAL, 2 oz. skeins	17 skeins	18 skeins	20 skeins
or BEAR BRAND, FLEISHER'S or BOTANY MACHINE WASHABLE GO-GO, 2 oz. skeins	17 skeins	18 skeins	20 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 15— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size J (9).

GAUGE: 11 sts = 4 inches 7 rows = 2 inches
To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

At bustline (not including 2 in. overlap) . . . . . inches	40	44	48
Width of back at underarm . . . . . inches	18	20	22
Width of sleeves at underarm . . . . . inches	16	17	18

BACK—Cast on 51 (55-61) sts.

Pattern—Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Row 3—Same as row 2.

Row 4—Same as row 1. Repeat these 4 rows for pat.

Work pat. until 14 ins. from beg., end on wrong side. Mark for underarm.

Raglan Armhole Shaping—Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 15 (17-19) times with care to keep pat. Work 1 row even after last dec. row, end on wrong side; 11 (11-13) sts. Bind off in pat. for neck.

LEFT FRONT—Cast on 33 (35-39) sts. Work pat. as for back until same length as back to underarm, end on wrong side. Mark for underarm.

Raglan Armhole Shaping—Bind off 4 sts at beg. of next row. Keeping front edge even, dec. 1 st at armhole edge every 2nd row 6 (8-10) times, about 4 (5-6) ins. above marker, end on right side; 23 (23-25) sts.

Neck Shaping—Bind off 6 sts in pat. at beg. of next row, finish row; 17 (17-19) sts.

(Continued on Page 35)

Style No. 3711 *(right)*

Sizes 12-14 and 18-20

Instructions are for size 12-14, changes for size 18-20 are in parentheses, *see measurement chart,* page 51.

	Size 12-14	Size 18-20
MATERIALS: BEAR BRAND or FLEISHER'S GIGANTIC or BOTANY COLOSSAL, 2 oz. skeins	21 skeins	26 skeins
or BEAR BRAND, FLEISHER'S or BOTANY MACHINE WASHABLE GO-GO, 2 oz. skeins	21 skeins	26 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 15 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size J (9).

GAUGE: 14 sts = 5 inches 7 rows = 2 inches To check gauge, see page 51.

MEASUREMENTS FOR BLOCKING:

To fit	**32-34 in. Bust**	**38-40 in. Bust**
Width at bustline, buttoned . . . . . inches	42½	48
Width of back at underarm . . . . . inches	20	22½
Width of sleeve at underarm . . . . . inches	15	16½

BACK—Ch 41 (46) sts loosely. Slip loop from hook to size 15 needle; pick up and k 1 st in each of next 40 (45) sts of chain inserting needle in horizontal thread of chain; 41 (46) sts.

Inc. row—P 1, * k 1, inc. 1 st in each of next 2 sts as to p, k 1, p 1 *; repeat between *'s to end; 57 (64) sts.

Pattern—Multiple of 7 sts plus 1.

Row 1—right side—K 1, * p 1, skip 1 st, k next st inserting needle in front of st, then k the skipped st, drop both sts from needle, skip 1 st, k next st from back of skipped st inserting needle in front of st, then k the skipped st, drop both sts from needle, p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 4, k 1, p 1; repeat from * to end. Repeat last 2 rows for pat.

Work even in pat. until about 20 ins. from beg., end on wrong side. Mark for underarm.

Armholes—Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 3 times with care to keep pat.; 43 (50) sts. Work even until 8 (8¾) ins. above marker.

Shoulders—Bind off 7 sts at beg. of each of next 2 rows; 7 (10) sts at beg. of each of next 2 rows. Bind off 15 (16) sts.

LEFT FRONT—Ch 26 (29) sts. With size 15 needles, pick up sts as for back; 26 (29) sts.

Inc. row—For size 12-14 only—Work as for inc. row of back; 36 sts.

For size 18-20 only—K 1, inc. 1 st in next st, k 1, work as for inc. row of back to end; 40 sts.

Pattern—Row 1—right side—**For size 12-14 only**—Work as for pat. row 1 of back.

For size 18-20 only—Work as for pat. row 1 of back to within 4 sts of end, p 1, skip 1 st, k next st inserting needle in front of st, k the skipped st, drop both sts from needle, p 1.

(Continued on Page 33)

Style No. 3703

(Continued from Page 6)

Beg. with row 3 of chart No. 1, see page 29, continue in stockinette st—k 1 row, p 1 row—following pat. as on chart for 74 rows—about 15 ins.—above ribbing, end on wrong side. Mark for underarm.

Armholes—With care to keep pat., bind off 6 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 7 (8) times; 73 (77) sts. Work even until 39 (43) rows—about 8 (8½) ins.—above underarm marker, end on right side. Break B.

With A only, bind off all sts as to p.

LEFT FRONT—With size 8 needles and A, cast on 63 (65) sts.

Row 1—wrong side—P 13 for front border and facing, * k 1, p 1; repeat from * to end.

Row 2—* K 1, p 1; repeat from * to within 13 sts of end, k 6, slip next st as to p for turning st, k 6.

Repeat rows 1 and 2 until 2½ ins. from beg., **(for size 40 only,** inc. 1 st at end of last row), end on wrong side; 63 (66) sts.

Pattern—Row 1—right side—With size 10½ needles, **for size 36 only,**—k 1 A; **(for size 40 only**—k 1 A, 1 B, 2 A); **for both sizes,** repeat between *'s of row 1 of back once, end k 3 B, 2 A; with A, k 6, slip next st as to p, k 6 for front border and facing.

Beg. with row 2 of chart No. 2, see page 30, continue pat. following chart until same length as right side of back to underarm. Mark for underarm.

Keeping front edge even, with care to follow pat. as on chart, shape armhole same as right armhole of back. Work until 31 rows above underarm marker, end on right side at front edge; 50 (52) sts.

Neck Shaping—Next row—Work 21 sts and slip to holder for neck, finish row. Keeping armhole edge even, dec. 1 st at neck edge every row 6 times; 23 (25) sts. Work even until same length as back, end on right side. Break B.

With A, bind off all sts as to p.

RIGHT FRONT—With size 8 needles and A, cast on 63 (65) sts.

Row 1—wrong side—* P 1, k 1; repeat from * to within 13 sts of end, p 13 for front border and facing.

Row 2—K 6, slip next st as to p, k 6; * p 1, k 1; repeat from * to end.

Repeat rows 1 and 2 until 5 rows from beg., end on wrong side.

Buttonhole rows—* K 2, bind off next 2 sts for buttonhole, work until there are 2 sts on needle from bound-off sts *, slip turning st as before; repeat between *'s once more, finish row. On next row, cast on 2 sts over each buttonhole.

Work ribbing and front border as before until 2½ ins. from beg., **(for size 40 only,** inc. 1 st at beg. of last row), end on wrong side; 63 (66) sts.

Pattern—Row 1—right side—With size 10½ needles and A, k 6, slip 1 st as before, k 6 for front border and facing, k 2 A, 3 B, 2 A, 1 B, 1 A, 2 B, 1 A, 2 B, 1 A, 4 B, 2 A, 3 B, 2 A, 4 B, 1 A, 2 B, 1 A, 2 B, 1 A, 1 B, 2 A, 3 B, 3 A, 3 B; end **size 36 only,** k 1 A; **(size 40 only,** k 2 A, 1 B, 1 A).

Beg. with row 2 of chart No. 3, see page 30, continue pat. following chart repeating buttonholes as indicated until same length as left side of back to underarm. Mark for underarm.

Keeping front edge even, with care to follow pat. as on chart, shape armhole same as left armhole of back. Work until 31 rows above marker, end on wrong side at front edge; 50 (52) sts.

Neck Shaping—Next row—Work first 21 sts and slip to holder for neck, finish row. Keeping armhole edge even, dec. 1 st at neck edge every row 6 times; 23 (25) sts.

Finish to correspond to left front.

SLEEVES—With size 8 needles and A, cast on 44 (50) sts. Work k 1, p 1 ribbing for 2½ ins., increasing 11 sts across last row; 55 (61) sts.

Pattern—Row 1—right side—With size 10½ needles, **for size 36 only,** k 2 B; **(for size 40 only,** k 1 A, 4 B); **for both sizes,** k 2 A, 3 B, 2 A, 4 B, 1 A, 2 B, 1 A, 2 B, 1 A, 1 B, 2 A, 3 B, 3 A, 3 B, 2 A, 1 B, 1 A, 2 B, 1 A, 2 B, 1 A, 4 B, 2 A, 3 B, 2 A, end **size 36 only,** k 2 B; **(size 40 only,** k 4 B, 1 A).

Beg. with row 2 of chart No. 4, see page 29, continue pat. following chart until there are 21 rows of pat.—about 4 ins.—above ribbing. With care to keep pat., inc. 1 st each side on next row; repeat incs. every 8th row 5 times; 67 (73) sts. Work even until same length as back to underarm, end on wrong side. Bind off 5 sts at beg. of each of next 2 rows. Dec. 1 st each side of next row; repeat decs. every 2nd row 8 (9) times more; then every row 4 (5) times; 31 (33) sts. Bind off 4 sts at beg. of each of next 4 rows, end on right side. Break B. With A, bind off remaining 15 (17) sts.

Sew shoulder seams.

NECK RIBBING—From right side, slip the 21 sts of right front neck edge to size 8 needle, join A, pick up and k 11 (13) sts along right neck edge; 25 sts across back of neck; 11 (13) sts along left neck edge; from right side, slip the 21 sts of left front from holder to free needle and k them, slipping the turning st as before; 89 (93) sts.

Row 1—wrong side—P 13, k 1, * p 1, k 1; repeat from * to within 13 sts of end, p 13.

Row 2—Work a set of buttonholes on border and facing as before, p 1, * k 1, p 1; repeat from * to within 13 sts of end, k 6, slip turning st, k 6.

Row 3—Same as row 1, casting on 2 sts over each buttonhole.

Work 6 rows even. Bind off in pat.

FINISHING—Sew seams. Sew in sleeves matching seams. Turn back front facing to wrong side and hem. Finish buttonholes in blanket st. Block, see page 51.

(Continued on Next Page)

Charts for Style No. 3703 (Continued from Page 28)





Charts for Style No. 3703 *(Continued from Page 29)*





Style No. 3708

(Continued from Page 12)

Row 5—K 1, p 1, k 1, p 1, k 1; * k to within 1 st of marker, inc. 1 st in next st, slip marker to right needle, inc. 1 st in next st; repeat from * 3 times more, k to within 5 sts of end; k 1, p 1, k 1, p 1, k 1.

Row 6—Same as row 4; 95 (99) sts.

Row 7—K 1, p 1, k 1, p 1, k 1; k 7 (8), inc. 1 st in next st, k 8 (9), inc. 1 st in next st, slip marker as before; inc. 1 st in next st, k 3, inc. 1 st in next st, k 2, inc. 1 st in next st, k 3, inc. 1 st in next st, slip marker; inc. 1 st in next st, k 8, inc. 1 st in next st, k 7, inc. 1 st in next st, k 8, inc. 1st in next st, slip marker; inc. 1 st in next st, k 3, inc. 1 st in next st, k 2, inc. 1 st in next st, k 3, inc. 1 st in next st, slip marker; inc. 1 st in next st, k 8 (9), inc. 1 st in next st, k 7 (8); k 1, p 1, k 1, p 1, k 1; 111 (115) sts.

First Seed St Stripe—Row 8—K 1, * p 1, k 1; repeat from * to end of row, slipping markers.

Rows 9, 10, 11 and 12—Same as row 8.

Row 13—K 1, p 1, k 1, p 1, k 1; k 8 (9), inc. 1 st in next st, k 9 (10), inc. 1 st in next st, slip marker, inc. 1 st in next st, * k 4, inc. 1 st in next st; repeat from * twice, slip marker, inc. 1 st in next st, † k 9, inc. 1 st in next st; repeat from † twice; slip marker, inc. 1 st in next st, ** k 4, inc. 1 st in next st; repeat from ** twice, slip marker, inc. 1 st in next st, k 9 (10), inc. 1 st in next st, k 8 (9); k 1, p 1, k 1, p 1, k 1; 127 (131) sts.

Row 14—buttonhole row—K 1, p 1, yo, p 2 tog. for buttonhole, k 1; p to within 5 sts of end, slipping markers; k 1, p 1, k 1, p 1, k 1.

Row 15—Same as row 5; 135 (139) sts.

Row 16—Same as row 4.
Repeat last 2 rows once more; 143 (147) sts.

Row 19—K 1, p 1, k 1, p 1, k 1; k 10 (11), inc. 1 st in next st, k 11 (12), inc. 1 st in next st, slip marker, inc. 1 st in next st, k 7, inc. 1 st in next st, k 6, inc. 1 st in next st, k 7, inc. 1 st in next st, slip marker, inc. 1 st in next st, k 12, inc. 1 st in next st, k 11, inc. 1 st in next st, k 12, inc. 1 st in next st, slip marker, inc. 1 st in next st, k 7, inc. 1 st in next st, k 6, inc. 1 st in next st, k 7, inc. 1 st in next st, slip marker, inc. 1 st in next st, k 11 (12), inc. 1 st in next st, k 10 (11), k 1, p 1, k 1, p 1, k 1; 159 (163) sts.

2nd Seed St Stripe—Repeat row 8, 5 times.

Row 25—K 1, p 1, k 1, p 1, k 1; k 11 (12), inc. 1 st in next st, k 12 (13), inc. 1 st in next st, slip marker, inc. 1 st in next st, * k 8, inc. 1 st in next st; repeat from * twice, slip marker, inc. 1 st in next st, † k 13, inc. 1 st in next st; repeat from † twice, slip marker, inc. 1 st in next st, ** k 8, inc. 1 st in next st; repeat from ** twice, slip marker, inc. 1 st in next st, k 12 (13), inc. 1 st in next st, k 11 (12); k 1, p 1, k 1, p 1, k 1; 175 (179) sts. Repeat rows 4 and 5 twice; 191 (195) sts.

Row 30—buttonhole row—Same as row 14.

Row 31—K 1, p 1, k 1, p 1, k 1; k 13 (14), inc. 1 st in next st, k 14 (15), inc. 1 st in next st, slip marker, inc. 1 st in next st, k 11, inc. 1 st in next st, k 10, inc. 1 st in next st, k 11, inc. 1 st in next st, slip marker, inc. 1 st in next st, k 16, inc. 1 st in next st, k 15, inc. 1 st in next st, k 16, inc. 1 st in next st, slip marker, inc. 1 st in next st, k 11, inc. 1 st in next st, k 10, inc. 1 st in next st, k 11, inc. 1 st in next st, slip marker, inc. 1 st in next st, k 14 (15), inc. 1 st in next st, k 13 (14); k 1, p 1, k 1, p 1, k 1; 207 (211) sts.

3rd Seed St Stripe—Repeat row 8, 5 times.

Row 37—K 1, p 1, k 1, p 1, k 1; k 14 (15), inc. 1 st in next st, k 15 (16), inc. 1 st in next st, slip marker, inc. 1 st in next st, * k 12, inc. 1 st in next st; repeat from * twice, slip marker, inc. 1 st in next st, † k 17, inc. 1 st in next st; repeat from † twice, slip marker, inc. 1 st in next st, ** k 12, inc. 1 st in next st; repeat from ** twice, slip marker, inc. 1 st in next st, k 15 (16), inc. 1 st in next st, k 14 (15), k 1, p 1, k 1, p 1, k 1; 223 (227) sts.

Repeat rows 4 and 5, 4 times; 255 (259) sts.

Row 46—buttonhole row—Same as row 14.

Row 47—Same as row 5.

Repeat rows 4 and 5, 3 (5) times; 287 (307) sts. Remove markers when working next row.

Row 54 (58) — Dividing row—wrong side—K 1, p 1, k 1, p 1, k 1; p 41 (45); place these 46 (50) sts on strand of yarn for right front; p 60 (64) sts and place them on strand of yarn for right sleeve; p 75 (79) sts and place them on strand of yarn for back; p 60 (64) sts and keep on needle for left sleeve; place remaining 46 (50) sts on strand of yarn for left front.

LEFT SLEEVE—Continue in stockinette st—k 1 row, p 1 row—on sts of left sleeve, casting on 2 (3) sts at beg. of each of next 2 rows; 64 (70) sts. Work 8 (4) rows even. Dec. 1 st each side of next row. Repeat dec. each side every 4th row 8 (10) times; 46 (48) sts. Work 5 (1) rows even—about 8 ins. from dividing row. With size 7 needles, work k 1, p 1 ribbing for 12 rows. Bind off loosely in ribbing.

RIGHT SLEEVE—From wrong side, beg. at front edge, slip sts of right sleeve from strand of yarn to size 9 needle. Beg. on right side, join yarn and with size 9 needles, work as for left sleeve. Sew sleeve seams.

BODY—From wrong side, beg. at right front edge, slip 46 (50) sts of right front and 75 (79) sts of back from strands of yarn to size 9 needle; from right side, beg. at left front edge, slip 46 (50) sts of left front to free size 9 needle, working from wrong side, join yarn and p 41 (45) sts of left front to same needle as sts of back and right front; k 1, p 1, k 1, p 1, k 1.

Row 1—Joining row—right side—K 1, p 1, k 1, p 1, k 1; k to end of left front, pick up and k 4 (6) sts on sts cast on for left sleeve underarm, k across sts of back, pick up and k 4 (6) sts on sts cast on for right sleeve underarm, k to within 5 sts of end of right front, k 1, p 1, k 1, p 1, k 1; 175 (191) sts.

Row 2—K 1, p 1, k 1, p 1, k 1; p to within 5 sts of end; k 1, p 1, k 1, p 1, k 1.

Row 3—K 1, p 1, k 1, p 1, k 1; k to within 5 sts of end; k 1, p 1, k 1, p 1, k 1.

For size 12-14 only, repeat last 2 rows twice more.

For both sizes—Continuing as for last 2 rows, work buttonhole on next row as before. Continue in same way, repeating buttonhole every 16th row twice more. Work even until there are 50 (46) rows from dividing row—about 8½ (8) ins. below underarm, end on wrong side.

Note: There are 4 rows more for body on size 12-14 than on size 16-18 to compensate for difference in length of raglan.

Dec. row—K 1, p 1, k 1, p 1, k 1; k 5 (4), * k 2 tog., k 7; repeat from * 16 (18) times, k 2 tog., k 5 (4); k 1, p 1, k 1, p 1, k 1; 157 (171) sts.

Ribbing — Row 1—wrong side—With size 7 needles, k 1, * p 1, k 1; repeat from * to end.

Row 2—K 1, p 1, k 1, p 1, k 1; k 1, * p 1, k 1; repeat from * to within 5 sts of end, k 1, p 1, k 1, p 1, k 1.
Repeat rows 1 and 2 once.

Row 5—Same as row 1, working 8th buttonhole as before.
Repeat rows 2 and 1 until there are 11 rows ribbing in all. Bind off in ribbing and seed st.
Block, see page 51.

BUTTONS—Row 1—right side—With size 2 steel hook, make loop on hook, work 14 sc over ring, join with slip st in first sc; fasten off leaving 10-in. end. Thread end of yarn into tapestry needle and from wrong side, draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 8 buttons and sew on left front opposite buttonholes.

Style No. 3707

(Continued from Page 10)

Row 4—P to marker; k 12, p 5, k 12; p to end.

Row 5—K to marker; p 10, p 2 tog., yo, k 1, yo, k 3, yo, k 1, yo, p 2 tog., p 10; work border.

Row 6—P to marker; k 11, p 3, inc. 1 st in next st as to p, p 1, inc. 1 st in next st as to p, p 3, k 11; p to end.

Row 7—K to marker; p 9, p 2 tog., k 1, yo, k 1, yo, k 1, p 2, k 1, p 2, k 1, yo, k 1, yo, k 1, p 2 tog., p 9; work border.

Row 8—P to marker; k 10, p 5, k 1, inc. 1 st in next st, p 1, inc. 1 st in next st, k 1, p 5, k 10; p to end.

Row 9—K to marker; p 8, p 2 tog., k 2, yo, k 1, yo, k 2, p 3, k 1, p 3, k 2, yo, k 1, yo, k 2, p 2 tog., p 8; work border.

Row 10—P to marker; k 9, p 7, k 1, inc. 1 st in next st, k 1, p 1, k 1, inc. 1 st in next st, k 1, p 7, k 9; p to end.

Row 11—K to marker; p 7, p 2 tog., k 3, yo, k 1, yo, k 3, p 3, k 3, p 3, k 3, yo, k 1, yo, k 3, p 2 tog., p 7; work border.

Row 12—P to marker; k 8, p 9, k 1, inc. 1 st in next st, k 1, p 3, k 1, inc. 1 st in next st, k 1, p 9, k 8; p to end.

Row 13—K to marker; p 6, p 2 tog., k 4, yo, k 1, yo, k 4, p 4, k 3, p 4, k 4, yo, k 1, yo, k 4, p 2 tog., p 6; work border.

Row 14—P to marker; k 7, p 11, k 1, inc. 1 st in next st, k 2, p 3, k 2, inc. 1 st in next st, k 1, p 11, k 7, p to end.

Row 15—K to marker; p 5, p 2 tog., slip 1 st as to k, k 1, pass slip st over k st, k 7, k 2 tog., p 5, k 3, p 5, slip, k and pass as before, k 7, k 2 tog., p 2 tog., p 5; work border.

Row 16—P to marker; k 6, p 9, k 5, inc. 1 st in next st as to p, p 1, inc. 1 st in next st as to p, k 5, p 9, k 6; p to end.

Row 17—K to marker; p 4, p 2 tog., slip, k and pass, k 5, k 2 tog., p 5, yo, k 1, yo, p 1, k 1, p 1, yo, k 1, yo, p 5, slip, k and pass, k 5, k 2 tog., p 2 tog., p 4; work border.

Row 18—P to marker; k 5, p 7, k 5, p 3, inc. 1 st in next st, p 1, inc. 1 st in next st, p 3, k 5, p 7, k 5; p to end.

Row 19—K to marker; p 3, p 2 tog., slip, k and pass, k 3, k 2 tog., p 5, k 1, yo, k 1, yo, k 1, p 2, k 1, p 2, k 1, yo, k 1, yo, k 1, p 5, slip, k and pass, k 3, k 2 tog., p 2 tog., p 3; work border.

Row 20—P to marker; k 4, p 5, k 5, p 5, k 1, inc. 1 st in next st, p 1, inc. 1 st in next st, k 1, p 5, k 5, p 5, k 4; p to end.

Row 21—K to marker; p 2, p 2 tog.; slip, k and pass, k 1, k 2 tog., p 5, k 2, yo, k 1, yo, k 2, p 3, k 1, p 3, k 2, yo, k 1, yo, k 2, p 5, slip, k and pass, k 1, k 2 tog., p 2 tog., p 2; work border.

Row 22—P to marker; k 3, p 3, k 5, p 7, k 1, inc. 1 st in next st, p 3, inc. 1 st in next st, k 1, p 7, k 5, p 3, k 3; p to end.

Row 23—K to marker; p 1, p 2 tog., k 3 tog.; p 5, k 3, yo, k 1, yo, k 3, p 3, k 3, p 3, k 3, yo, k 1, yo, k 3, p 5, k 3 tog., p 2 tog., p 1; work border.

Row 24—Same as row 12. Repeat last 12 rows for Double Leaf Pat., working from row 13 through row 24.

Work in pat. until 10 ins. above ribbing, end on wrong side with pat. row 24. Mark for underarm.

Armhole—Bind off 4 sts at beg. of next row, work as for pat. row 13 to end. Dec. 1 st at underarm edge every 2nd row 5 (7) times. Work even until 26 rows above underarm marker, end with pat. row 14. This completes Double Leaf Pat.

Single Leaf Pattern—Work as follows:

Row 1—right side—K to marker; p 5, p 2 tog., slip, k and pass, k 7, k 2 tog., p 6, yo, k 1, yo, p 6, slip, k and pass, k 7, k 2 tog., p 2 tog., p 5; work border.

Row 2—P to marker; k 6, p 9, k 6, p 3, k 6, p 9, k 6; p to end.

Row 3—K to marker; p 6, slip, k and pass, k 5, k 2 tog., p 6, k 1, yo, k 1, yo, k 1, p 6, slip, k and pass, k 5, k 2 tog., p 6; work border.

Row 4—P to marker; k 6, p 7, k 6, p 5, k 6, p 7, k 6; p to end.

Row 5—K to marker; p 6, slip, k and pass, k 3, k 2 tog., p 6, k 2, yo, k 1, yo, k 2, p 6, slip, k and pass, k 3, k 2 tog., p 6; work border.

Row 6—P to marker; k 6, p 5, k 6, p 7, k 6, p 5, k 6; p to end.

Row 7—K to marker; p 6, slip, k and pass, k 1, k 2 tog., p 6, k 3, yo, k 1, yo, k 3, p 6, slip, k and pass, k 1, k 2 tog., p 6; work border.

Row 8—P to marker; k 6, p 3, k 6, p 9, k 6, p 3, k 6; p to end.

Row 9—K to marker; p 6, k 3 tog., p 6, k 4, yo, k 1, yo, k 4, p 6, k 3 tog., p 6; work border.

Row 10—P to marker; k 13, p 11, k 13; p to end.

Row 11—K to marker; p 13, slip, k and pass, k 7, k 2 tog., p 13; work border.

Row 12—P to marker; k 13, p 9, k 13; p to end.

Row 13—K to marker; p 13, slip, k and pass, k 5, k 2 tog., p 13; work border.

Neck and Shoulder Shaping—Row 14—Work 12 sts and place on holder for neck ribbing; k 12, p 7, k 13, p 5 (7) sts.

Row 15—K 5 (7) sts; p 13, slip, k and pass, k 3, k 2 tog., p 12.

Row 16—Bind off 3 sts at beg. of row for neck, k until 9 sts from bind-off, p 5, k 13; p 5 (7) sts.

Row 17—K 5 (7) sts; p 13, slip, k and pass, k 1, k 2 tog., p 9.

Row 18—Bind off 3 sts for neck, k until 6 sts from bind-off, p 3, k 13, p 5 (7).

Row 19—K 5 (7) sts; p 13, k 3 tog., p 6; 25 (27) sts. This row completes leaf pat.

Continue to bind off 3 sts at neck edge twice more, working panel sts with p row on right side and armhole sts with k row on right side, shaping shoulder as for right side of back when armhole is same length.

Mark position of 5 buttons on left front border, having first button 4 rows from lower edge and 5th button 3 ins. below neck shaping, remaining 3 buttons evenly spaced between; 6th button will be on neck ribbing.

RIGHT FRONT—With size 5 needles, cast on 53 (57) sts.

Row 1—wrong side—* P 1, k 1; repeat from * to within 11 sts of end; p 11 sts for front border and facing.

Row 2—K 5, with yarn at back, slip 1 st as to p for turning st, k 5, * p 1, k 1; repeat from * to end. Repeat row 1 once more, end at front edge.

Buttonhole rows—K 2, yarn over twice, k 2 tog., k 1, slip 1 st as before, k 1, k 2 tog., yarn over twice, work to end. Work next row dropping extra yo for buttonhole.

Continue ribbing and front border until same number of rows as on left front increasing 1 st at beg. of last row; 54 (58) sts.

Double Leaf Pat.—Row 1—right side—With size 9 needles, k 5, slip 1, k 5; place marker on needle for beg. of pat. stripe, p 13, k 3, p 13, place a marker on needle after last st for end of pat. stripe; k 14 (18) sts.

(Continued on Next Page)

Style No. 3707 *(Continued from Page 32)*

Row 2—P to marker; slip marker as before, k 13, p 3, k 13, slip marker; p to end. Work to correspond to left front, repeating buttonhole rows opposite markers, reversing all shapings. Sew shoulder seams.

NECK RIBBING—From right side, with size 5 needle, take up 12 sts of right front, join yarn, pick up and k 16 (18) sts on side edge of right front, take up and k 22 sts of back, pick up and k 15 (17) sts on side edge of left front, take up and work 12 sts of left front; 77 (81) sts.

Row 1—wrong side—P 11; k 1, * p 1, k 1; repeat from * to within 11 sts of end; p 11.

Row 2—Work border sts as before, p 1, * k 1, p 1; repeat from * to within 11 sts of end, work border sts as before.

Row 3—Same as row 1.

Row 4 — buttonhole row — K 2, yo twice, k 2 tog., k 1, slip 1 as before, k 1, k 2 tog., yo twice, k 2, p 1, * k 1, p 1; repeat from * to within 11 sts of end, k 5, slip 1, k 5.

Work front facings and borders as before, keeping all other sts in ribbing until 8 rows in all. Bind off in ribbing.

SLEEVES—With size 5 needles, cast on 40 (44) sts. Work k 1, p 1 ribbing for 14 rows.

Inc. row—wrong side—Continue ribbing increasing 8 sts evenly spaced across row; 48 (52) sts. With size 9 needles, work stockinette st until 2 ins. above ribbing, end with p row. Inc. 1 st each side of next row and repeat incs. every 2 ins. 3 times; 56 (60) sts. Work even until 10 ins. above ribbing, end with p row. Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 14 (15) times; every row 4 times. Bind off 12 (14) sts.

FINISHING—Sew underarm and sleeve seams. Sew in sleeves matching underarm seams. Turn back front facings along turning st and hem to wrong side. Sew facing and border tog. at neck edge and lower edge of fronts. Finish buttonholes in blanket st, working through both thicknesses. Block, see page 51.

BUTTONS—Make a loop on hook and work 20 sc over ring, join with slip st in first sc. Fasten off, leaving a 10 in. end. Thread end of yarn into tapestry needle and from wrong side draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 6 buttons. Sew 1 rhinestone in center of each button as illustrated.

Style No. 3711

(Continued from Page 26)

Row 2—For size 12-14 only—Work as for pat. row 2 of back.

For size 18-20 only—K 1, p 2, k 1, work as for pat. row 2 of back.

Continue in this way until same length as back to underarm. Keeping front edge even, shape armhole as for right side of back; 29 (33) sts. Work even in pat. until 6 (6¾) ins. above underarm, end on right side.

Neck and Shoulder Shaping—Bind off 8 (10) sts at beg. of next row for neck edge, finish row.

Dec. 1 st at neck edge every row 7 (6) times; shaping shoulder as for right side of back when armhole is same length.

RIGHT FRONT—Ch 26 (29) sts loosely. Work as for left front to inc. row.

Inc. row—For size 12-14 only—Work same as for inc. row of back; 36 sts.

For size 18-20 only—Work as for inc. row of back to within 3 sts of end, k 1, inc. 1 st in next st, k 1; 40 sts.

Pattern—Row 1—right side—**For size 12-14 only**—Same as for pat. row 1 of back.

For size 18-20 only—P 1, skip 1 st, k next st from back of skipped st inserting needle in front of st, then k the skipped st, drop both sts from needle, p 1, work as for pat. row 1 of back to end.

Row 2—For size 12-14 only—Same as pat. row 2 of back.

For size 18-20 only—Same as pat. row 2 of back to within 4 sts of end, k 1, p 2, k 1.

Continue to correspond to left front, shaping armhole, neck edge and shoulder on opposite sides.

SLEEVES—With size 15 needles, cast on 25 (27) sts.

Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end. Repeat last 2 rows until 5 rows in all, end with row 1.

Inc. row—right side—**For size 12-14 only**—K 1, * p 1, k 1, inc. 1 st in next st by knitting in back loop of st in row below and k next st, k 1, p 1, k 1; repeat from * to end; 29 sts.

For size 18-20 only—K 1, p 1, k 1, inc. 1 st in next st by knitting in back loop of st in row below and k next st, k 1, p 1 to within 4 sts of end, inc. in next st as before, k 1, p 1, k 1; 29 sts. Work pat. as for back, increasing 1 st each side every 6th row 7 (5) times; every 4th row 0 (4) times with care to keep pat. on added sts; 43 (47) sts. Work even in pat. until 16 ins. from beg. Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 8 (10) times; every row 4 times. Bind off 11 sts.

COLLAR—Ch 46 sts loosely. Work as for back to beg. of pat.; 64 sts.

Work pat. until 6 ins. from beg., end on right side.

Dec. row—P 1, * k 1, p 2 tog. twice in succession, k 1, p 1; repeat from * to end; 46 sts.

Bind off in pat.

FINISHING—Sew seams. Sew in sleeves matching underarm seams. From right side, beg. at lower edge of right front, work 1 row sc up right front edge, around neck edge and down left front edge with care to keep an even edge. Work 1 row sc on side edges of collar. Sew on collar with ends of collar 4 sts from front edge, holding in extra fullness evenly.

Mark spaces for 6 buttonholes in center of pat. stripe for size 12-14 and in 5th st (k st) for size 18-20 on right front edge evenly spaced, having first buttonhole 2½ ins. from lower edge and 6th buttonhole 1 in. below neck edge. Work buttonhole spaces in blanket st with ½ strand of yarn. Make a loop at neck edge of right front and sew small button under collar. Block, see page 51. Sew 1-in. grosgrain ribbon across shoulder seams holding in to desired width.

Style No. 3702

(Continued from Page 4)

LARGE POCKET FLAPS—Cast on 21 sts. K 1 row. Work 10 rows border pat. as on back. Bind off as to k. Make 2.

SMALL POCKET FLAPS—Cast on 13 sts. Work same as large pocket flaps. Make 2.

FINISHING—Sew raglan seams, joining sleeves to fronts and back. Sew underarm and sleeve seams. From right side, beg. at lower edge of right front, work 1 row sc up front edge, keeping edge flat. Beg. at neck edge of left front, work 1 row sc on left front edge to correspond. Finish buttonholes in blanket st. Pin large pocket flaps in place having lower edge of flap 4½ ins. above lower edge of jacket and side edge 3½ ins. from front edge. Leaving top edge of flap free, sew side and lower edges as pinned. Sew small flaps in same manner, having lower edge of flap 3 ins. above lower flap and side edge 4¼ ins. from front edges. Steam lightly, see page 51. Sew button in center of each flap.

Style No. 3714

(Continued from Page 19)

(69-71) sts. Work even until 6¼ (6½-6¾) ins. above underarm marker, completing the 3rd group of motifs, end with k row.

Shoulders—Bind off 4 (5-6) sts at beg. of each of next 2 rows; 6 sts at beg. of each of next 6 rows. Place remaining 23 sts on holder for neck ribbing. Break A.

LEFT FRONT—With size 5 needles and A, cast on 57 (61-63) sts.

Row 1—wrong side—K 6 for garter st facing of front hem, p 1, * k 1, p 1; repeat from * to end.

Row 2—* K 1, p 1; repeat from * to within 7 sts of end, k 7.
Repeat these 2 rows until 11 rows from beg., increasing 1 st at end of last row of ribbing for size 14 only, end at underarm edge; 58 (61-63) sts.
With size 8 needles, begin Narrow Stripe at inner edge of front hem.

Pattern—Row 1—right side—K 15 (17-19) A, place marker on needle, k 25 A, place 2nd marker on needle, k 3 (4-4) A, 1 B, 1 A, 1 B, 12 A.

Row 2—K 6 A, p 6 A, p 3 B, with A, p to end, slipping markers.

Row 3—K 15 (17-19) A, slip marker, k 10 A, join 2nd ball of B and k 1 B, 3 A, 1 B, 10 A, slip marker, k 3 (4-4) A, 1 B, 1 A, 1 B, 12 A.

Continuing hem and facing, work next row working the 3 sts of Narrow Stripe as for row 4 of chart No. 2, see page 35, and working the 25 sts between markers as for row 2 of chart No. 1. Continue pat., hem and facing until same length as right side of back to underarm, having the same number of rows between motifs as on back, end with 2nd row of the 3rd motif at underarm edge. Mark for underarm.
Shape armhole as on right side of back; 46 (48-49) sts. Work even until 6 ins. above underarm marker, completing the 3rd motif, end with k row at front edge.

Neck and Shoulder Shaping—Next row—Work 24 (25-25) sts and place on holder for neck ribbing, p to end. Work 2 (4-6) rows even on 22 (23-24) sts, end at armhole edge. Bind off remaining sts for shoulder.
Mark position of 6 buttons on left front hem, having lower button 6 rows above lower edge and top button 2½ ins. below neck edge; remaining 4 buttons evenly spaced between; 7th button will be on neck ribbing.

RIGHT FRONT—With size 5 needles and A, cast on 57 (61-63) sts.
Row 1—wrong side—P 1, * k 1, p 1; repeat from * to within 6 sts of end, k 6 for garter st facing of hem.

Row 2—K 7, * p 1, k 1; repeat from * to end.
Repeat rows 1 and 2 once. Repeat row 1 again, end at front edge.

Buttonhole rows—K 2, bind off 2 sts for buttonhole, work until 5 sts from buttonhole, bind off 2 sts, work to end. Cast on 2 sts over each buttonhole in next row.
Continue ribbing, hem and facing for 4 rows more, increasing 1 st at beg. of last row **for size 14 only;** 58 (61-63) sts.
With size 8 needles, begin Narrow Stripe at inner edge of front hem.

Pattern—Row 1—right side—K 12 A, 1 B, 1 A, 1 B, k 3 (4-4) A, place marker on needle, k 25 A, place 2nd marker on needle, k 15 (17-19) A.

Row 2—With A, p to within 15 sts of end, slipping markers, p 3 B, p 6 A, k 6 A.
Work to correspond to left front up to neck, repeating buttonholes opposite markers and shaping armhole as for left side of back when same length to underarm, end with a k row at armhole edge, having the same number of rows on front edge as on left front.

Neck and Shoulder Shaping—Next row—Work 22 (23-24) sts, place last 24 (25-25) sts at front edge on holder for neck ribbing. Do not break yarn. Join a 2nd ball of A in last st on needle and work 1 (3-5) rows even, end at armhole edge. Bind off 22 (23-24) sts for shoulder.

SLEEVES—With size 5 needles and A, cast on 44 (46-48) sts. Work k 1, p 1 ribbing for 3 ins., having an even number of rows.

Inc. row—wrong side—Work 4 (6-8) sts in ribbing, * inc. 1 st in next st, work 5 sts; repeat from * to end; 51 (53-55) sts.

Row 1—right side—With size 8 needles, k 19 (20-21) A, 1 B, 1 A, 1 B, 1 A, 1 B, 2 A, 1 B, 2 A, 1 B, 1 A, 1 B, 19 (20-21) A.

Row 2—P 19 (20-21) A, p 3 B, 1 A, 3 B, 1 A, 1 B, 1 A, 3 B, 19 (20-21) A.
Beg. with row 3 of chart No. 3, see page 35, continue pat. on 13 center sts, increasing 1 st each side every 2 ins. 7 (7-4) times; every 1½ ins. 0 (0-4) times, repeating the 24 rows of pat. as on chart; 65 (67-71) sts. Work even until 15 ins. above cuff, end with k row.
Continuing pat. on 13 center sts, bind off 5 (5-6) sts at beg. of each of next

(Continued on Next Page)

Style No. 3714 *(Continued from Page 34)*

2 rows. Dec. 1 st each side every 2nd row 10 (11-12) times. Bind off 2 sts at beg. of each of next 10 rows; 15 sts. Mark for beg. of Shoulder Insert. Continue pat. on the 13 center sts of the remaining 15 sts until 4¼ (4½-4¾) ins. above marker, end with p row.

Dec. row—With A, k 2 tog., work pat. to within 2 sts of end, slip, k and pass. Place remaining 13 sts on holder for neck ribbing. Break yarn.

Sew edges of shoulder inserts to shoulders of back and fronts. Sew shaped sleeve edges to armhole edges. Sew underarm and sleeve seams.

NECK RIBBING—With size 5 needles, beg. at right neck edge, take up 24 (25-25) sts from holder; with attached ball of A, work these sts; pick up and k 1 (2-3) sts on even edge of neck; beg. at left side of neck, with free needle, take up 13 sts of left insert; 23 sts of back; 13 sts of right insert and k these sts with A; pick up and k 1 (2-3) sts on left neck edge, take up and work 24 (25-25) sts; 99 (103-105) sts.

Next row—K 6, p 1, * k 1, p 1; repeat from * to within 6 sts of end, k 6.

Continue ribbing and facing for 2 rows more, end at right front edge. Repeat buttonholes in next 2 rows. Work 3 rows more. Bind off in pat.

FINISHING—Turn back front facings and hem to wrong side, with facing edge at edge of Narrow Stripe. Finish buttonholes in blanket st, working through both thicknesses. Block, see page 51.

SNOWFLAKE MOTIF
CHART NO. 1



FRONT BORDER
CHART NO. 2



PATTERN AT CENTER OF SLEEVE
CHART NO. 3

□-COLOR A ⊡-COLOR B

Style No. 3720

(Continued from Page 26)

Next row—Dec. 1 st at armhole edge for raglan shaping, work across row decreasing 1 st at end for neck.

Repeat raglan dec. every 2nd row 9 times, at the same time, repeat neck dec. every 4th row 4 (4-2) times, (for size 18-20 only, repeat neck dec. every 2nd row 4 times more).

For all sizes, k remaining 2 sts tog. Fasten off.

Mark position of 3 buttons on left front edge, with first button on 19th row from lower edge, 3rd button 3 rows below neck edge and 2nd button at center of space between 2 buttons.

RIGHT FRONT—Work right front to correspond to left front until 19 rows from beg.

Buttonhole—Row 1—Work 2 sts, bind off 2 sts, finish row.

Row 2—Work pattern casting on 2 sts over the 2 bound-off sts to complete buttonhole, finish row.

Finish right front to correspond to left front; repeating buttonhole opposite markers and shaping at opposite side.

SLEEVES—Cast on 31 (35-39) sts.

Work pat. as for back until 2 ins. from beg., end on wrong side. Inc. 1 st each side of next row. Repeat incs. every 6th row 5 times with care to keep pat. on added sts; 43 (47-51) sts. Work even until 14 ins. from beg., end on wrong side.

Work as for Raglan Armhole Shaping on back. Bind off 3 sts.

POCKETS—Cast on 21 sts. Work pat. as for back until 7 ins. from beg., end on wrong side. Bind off in pat. Make 2.

COLLAR — Cast on 61 (61-63) sts loosely for outer edge of collar. Work pat. as for back until 6 ins. from beg. Bind off in pat.

FINISHING—Sew underarm and sleeve seams. Sew in sleeves matching rows for raglan seam. Pin center of bound-off edge of collar to center back of neck, pin remaining bound-off edge of collar to back of neck and shaped edge of fronts; sew collar to neck edge leaving 6 bound-off sts of each front free; sew these 6 sts to about 2 ins. of adjoining side edges of collar. From right side, beg. at lower edge of right front, work 1 row sc up front edge and along side edge of collar with care to keep an even edge. Fasten off. Work sc on left front edge to correspond. From right side, work 1 row sc on bound-off edge of pockets. Sew on pockets with side edge of pocket at underarm seam and cast-on edge 2 rows above lower edge of jacket. Block, see page 51. Sew 1 in. grosgrain ribbon across back of neck on wrong side, if desired.



Style No. 3704

(Continued from Page 6)

For all sizes—Work in stockinette st—p 1 row, k 1 row—beg. with row 4 on chart No. 1, see below, work pat. as on chart, carrying yarn not in use loosely across on wrong side, catching it when carried over more than 4 sts until there are 62 (62-60) rows—about 15½ (15½-15) ins.—above turning ridge, end on wrong side.

Note: There are 62 rows to underarm on size 34-36 and size 38-40 and 60 rows to underarm on size 42-44. Mark for underarm. Break B.

Armholes—With A only, bind off 8 (8-10) sts for underarm, join B, continue to work in pat. to within 8 (8-10) sts of end, with A, bind off last 8 (8-10) sts for other underarm; 50 (56-60) sts. Break A. Beg. with a p row and joining A, continue to follow chart until there are 36 (36-38) rows—about 9 (9-9½) ins.—above underarm marker, end on wrong side. Break B.

Shoulder Shaping—With A only, bind off 6 (8-9) sts at beg. of each of next 2 rows; 7 (8-9) sts at beg. of each of next 2 rows, end with p row; 24 sts for back neck.

Back Neck Facing—With size 8 needles and A, k 1 row. K 1 row from wrong side inserting needle in back loop of sts for turning ridge. K 1 row. Continuing in stockinette st, cast on 5 sts at beg. of each of next 2 rows; 34 sts. P 1 row, k 1 row. Bind off.

FRONT—Work same as back until 9 (9-11) rows above underarm marker, end on right side; 50 (56-60) sts.

Divide for Neck—P 24 (27-29) sts, place on holder for right side of front; bind off 2 sts for center of neck, finish row; 24 (27-29) sts for left side of front.

Left Side—Neck dec. row—K to within 2 sts of end, k 2 tog.

(Continued on Next Page)



Style No. 3704 (Continued from Page 36)

Keeping armhole edge even, dec. 1 st at neck edge every 2nd row 8 more times; every 4th row 2 times; 13 (16-18) sts. Work 1 row even, having 36 (36-38) rows above underarm marker.

Shoulder—With A only, bind off 6 (8-9) sts from shoulder edge on next row. Work 1 row even. Bind off remaining 7 (8-9) sts.

Right Side—Take up sts of right side from holder, beg. at neck edge, slip, k and pass for neck dec., finish row. Finish to correspond to left side of front.

FRONT NECK FACING—With size 8 needles and A, working from right side, pick up and k 29 sts on left side of neck; 3 sts in the 2 bound-off sts at center of neck; 29 sts on right side of neck; 61 sts. P 30 sts, mark next st for center st, p to end. P next row from right side for turning ridge. P 1 row.

Next row—K to within 1 st of marker, inc. 1 st in each of next 2 sts, k to end. P 1 row.

Repeat last 2 rows once; 65 sts. Bind off.

SLEEVES—With size 8 needles and A, cast on 34 (36-38) sts for cuff. Work k 1, p 1 ribbing until 2½ (3½-4½) ins. from beg., increasing 8 (10-12) sts evenly spaced across last row; 42 (46-50) sts.

Pattern—With size 11 needles, k 1 row, p 1 row.

For size 34-36 only—Row 3—right side—K 2 B, * 3 A, 2 B; repeat from * to end.

(For size 38-40 only—Row 3—right side—K 2 A, * 2 B, 3 A; repeat from *, end last repeat k 2 A.

For size 42-44 only—Row 3—right side—K 1 B, * 3 A, 2 B; repeat from *, end last repeat k 1 B).

For all sizes—Continue in stockinette st, beg. with row 4 on chart No. 2, see below, working pat. as on chart until there are 8 (12-12) rows above ribbing, end with p row. Following chart, inc. 1 st each side of next row and repeat inc. each side every 8th (12th-12th) row 5 (3-3) more times; 54 (54-58) sts. Work even following chart until there are 58 (58-56) rows above ribbing, end on wrong side. Inc. 1 st each side of each of next 4 rows; 62 (62-66) sts. Sleeve should measure about 15½ (15½-15) ins. Place a marker at each side of last row for end of sleeve. Work even in pat. to end of chart—there will be 10 (10-12) rows above marker for end of sleeve. Bind off all sts with A.

FINISHING—Sew underarm and shoulder seams. Turn back and front neck facings to wrong side at turning ridge and hem bound-off edge of facings to wrong side. Sew ends of facing. Turn facing at lower edge on turning ridge and hem on wrong side. Sew sleeve seam from lower edge to markers for end of sleeve. Sew in sleeves sewing edge of rows worked even for top of sleeve to sts bound off for underarm and bound-off edge to side edge of armholes. Block, see page 51.

DICKEY

FRONT—With size 4 needles and Win-Sport†, color A, cast on 95 sts.

Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.

Repeat these 2 rows until 12½ ins. from beg., end with row 1.

Shoulders—Bind off 20 sts at beg. of each of next 2 rows.

Continue to work ribbing on remaining 55 sts for 4½ ins. Bind off in ribbing.

BACK—Work same as front, working only 6 ins. to shoulders for short back.

FINISHING—Sew shoulder seams from wrong side. Sew seams for turtle neck from right side.

Steam lightly, see page 51.



Style No. 3706

(Continued from Page 11)

Row 11—K 23 (27); * p 1, work cable twist on next 4 sts, p 1, k 1, complete popcorn; k 5, yo, slip, k and pass, k 3, k 2 tog., yo, k 5, complete popcorn; k 1, p 1, work cable twist on next 4 sts, p 1 *; k to end.

Row 12—P 23 (27); * k 1, p 4, k 1, p 3, work 7 sts in next st for popcorn, p 13, work 7 sts in next st for popcorn, p 3, k 1, p 4, k 1 *; p to end.

Row 13—K 23 (27); * p 1, k 4, p 1, k 3, complete popcorn; k 4, yo, slip, k and pass, k 1, k 2 tog., yo, k 4, complete popcorn; k 3, p 1, k 4, p 1 *; k to end.

Row 14—Same as row 2.

Row 15—K 23 (27); * p 1, work cable twist on next 4 sts, p 1, k 1, complete popcorn; k 7, yo, slip 1, k 2 tog., pass slip st over k 2 tog., yo, k 7, complete popcorn; k 1, p 1, twist cable on next 4 sts, p 1 *; k to end.

Row 16—P 23 (27); * k 1, p 4, k 1, p 21, k 1, p 4, k 1 *; p to end.
Repeat last 16 rows for pat. Work even in pat. until 60 (58) rows—about 10 (9½) ins.—above inc. row, end with pat. row 12 (10). Mark for underarm.

Armholes—Bind off 5 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 5 (7) times, having 13 (15) sts in stockinette st on each side of pat. stripe; 59 (63) sts. Work even until 46 (48) rows—about 7½ (8) ins.—above marker, end with pat. row 10.

Shoulder Shaping—Bind off 5 (7) sts at beg. of each of next 2 rows; 7 sts at beg. of each of next 4 rows, working with care to keep pat., end on wrong side with pat, row 16. Place 21 sts on holder for neck ribbing.

LEFT FRONT—With size 6 needles, cast on 49 (53) sts.

Row 1—wrong side—P 13 for front facing and border, * k 1, p 1; repeat from * to end.

Row 2—* K 1, p 1; repeat from * to within 13 sts of end, k 6 for front border, with yarn at back of work, slip next st as to p for turning st, k 6 for facing.

Repeat last 2 rows until 12 (14) rows from beg., end with row 2.
Inc. row—wrong side—P 13, continue ribbing increasing 11 sts evenly spaced to end; 60 (64) sts.

Pattern—Row 1—right side—With size 10 needles, k 14 (18); repeat between *'s of pat. row 1 of back once; work border and facing as before.

Row 2—P 13; repeat between *'s of pat. row 2 of back once, p 14 (18).
Continue in this way, working 13 sts of front border and facing as before; 14 (18) sts at underarm edge in stockinette st and pat. on remaining 33 sts as given between *'s on back. Work until 60 (58) rows—about 10 (9½) ins.—above inc. row, end with pat. row 12 (10) at underarm edge. Mark for underarm.

Armhole—Bind off 5 sts at beg. of next row for underarm, finish row. Dec. 1 st at armhole edge every 2nd row 5 (7) times, having 4 (6) sts at armhole edge in stockinette st; 50 (52) sts. Work even until 33 (35) rows above underarm marker, end with pat. row 13 at front edge.

Neck and Shoulder Shaping—Row 1—P 13, k 1, p 4, k 1, p 4, place these 23 sts on strand of yarn for neck ribbing; p 15, work 7 sts in next st for popcorn as before, p 1, k 1, p 4, k 1, p to end.

Row 2—K 4 (6), p 1, work cable twist on next 4 sts, p 1, k 1, complete popcorn, k 7, yo, slip 1, k 2 tog., pass slip st over k 2 tog., yo, k 3, k 2 tog.

Row 3—P 2 tog., p 14, k 1, p 4, k 1, p to end.

Row 4—K 4 (6), p 1, k 4, p 1, k 13, k 2 tog.

Row 5—P 2 tog., p 10, work 7 sts in next st for popcorn, p 1, k 1, p 4, k 1, p to end.

Row 6—K 4 (6), p 1, work cable twist on next 4 sts, p 1, k 1, complete popcorn, k 9, k 2 tog.

Row 7—P 2 tog., p 6, work 7 sts in next st, p 3, k 1, p 4, k 1, p to end.

Row 8—K 4 (6), p 1, k 4, p 1, k 3, complete popcorn, k 5, k 2 tog.

Row 9—P 2 tog., p 6, work 7 sts in next st, p 1, k 1, p 4, k 1, p to end.

Row 10—K 4 (6), p 1, work cable twist on next 4 sts, p 1, k 1, complete popcorn, k 7; 19 (21) sts.

Row 11—P 9, k 1, p 4, k 1, p to end.

Row 12—K 4 (6), p 1, k 4, p 1, k 9.

Row 13—P 7, work 7 sts in next st, p 1, k 1, p 4, k 1, p to end; 46 (48) rows—about 7½ (8) ins.—above underarm marker.

Row 14—Bind off 5 (7) sts for shoulder, finish row, completing popcorn.

Row 15—P 5, work 7 sts in next st, p 3, k 1, p 4.

Row 16—Bind off 7 sts, finish row, completing popcorn.

Row 17—P 7. Bind off all sts.

RIGHT FRONT—With size 6 needles, cast on 49 (53) sts.

Row 1—wrong side—* P 1, k 1; repeat from * to within 13 sts of end, p 13 for front border and facing.

Row 2—K 6, with yarn at back, slip next st as to p for turning st, k 6 for facing and border; * p 1, k 1; repeat from * to end. **(For size 16-18 only,** repeat rows 1 and 2 once).

Repeat row 1 once more for both sizes; 3 (5) rows from beg.

Buttonhole rows—right side—K 2, bind off 2 sts for buttonhole, work until 5 sts from bind-off, slipping turning st as before, bind off 2 sts for buttonhole, finish row.

Next row—Work as for row 1, casting on 2 sts over each buttonhole.
Work ribbing, front border and facing until 12 (14) rows from beg., end with row 2.
Inc. row—wrong side—Work ribbing to within 13 sts of end increasing 11 sts evenly spaced across ribbing only, p 13; 60 (64) sts.
Pattern—Row 1—right side—With size 10 needles, k 6, slip turning st, k 6; repeat between *'s of pat. row 1 of back once; k 14 (18) sts.
Work to correspond to left front repeating buttonholes every 17 and 18th row, having 16 rows between each set of buttonholes. Work even until 61 (59) rows above inc. row, end with pat. row 13 (11). Mark for underarm.

Armhole—Bind off 5 sts at beg. of next row for underarm, finish row. Dec. 1 st at armhole at end of next row. Repeat dec. at armhole edge every 2nd row 4 (6) times; 50 (52) sts. Continue to correspond to left front until 33 (35) rows above underarm marker, end with pat. row 14, omitting last popcorn, —12 rows above 6th buttonhole.

Neck and Shoulder Shaping—Row 1—Work until 23 sts on right needle; place these 23 sts on strand of yarn for neck ribbing; k 5, yo, slip 1, k 2 tog., pass slip st over k 2 tog., yo, k 7, complete popcorn, k 1, p 1, work cable twist on next 4 sts, p 1, k to end.
Row 2—P 4 (6), k 1, p 4, k 1, p 15, p 2 tog.
Row 3—K 2 tog., k 14, p 1, k 4, p 1, k to end.
Row 4—P 4 (6), k 1, p 4, k 1, p 1, work 7 sts in next st for popcorn, p 11, p 2 tog.
Row 5—K 2 tog., k 10, complete popcorn, k 1, p 1, work cable twist on next 4 sts, p 1, k to end.
Row 6—P 4 (6), k 1, p 4, k 1, p 3, work 7 sts in next st for popcorn, p 7, p 2 tog.
Row 7—K 2 tog., k 6, complete popcorn, k 3, p 1, k 4, p 1, k to end.
Row 8—P 4 (6), k 1, p 4, k 1, p 1, work 7 sts in next st, p 7, p 2 tog.
Row 9—K 2 tog., k 6, complete popcorn, k 1, p 1, work cable twist on next 4 sts, p 1, k to end; 19 (21) sts.
Row 10—P 4 (6), k 1, p 4, k 1, p 9.
Row 11—K 9, p 1, k 4, p 1, k to end.
Row 12—P 4 (6), k 1, p 4, k 1, p 1, work 7 sts in next st for popcorn, p to end.
Row 13—K 7, complete popcorn, k 1, p 1, work cable twist on next 4 sts, p 1, k to end.
Row 14—Bind off 5 (7) sts, work until 8 sts from bind-off, work 7 sts in next st for popcorn, p to end.
Row 15—K 5, complete popcorn, k 3, p 1, k 4.

(Continued on Next Page)

Style No. 3706 *(Continued from Page 38)*

Row 16—Bind off 7 sts, p to end.
Row 17—K 7. Bind off all sts.

SLEEVES—With size 6 needles, cast on 32 (36) sts for cuff. Work ribbing as for back until 14 rows from beg., end with row worked on right side.
Inc. row—Work 1 more row of ribbing increasing 12 sts evenly spaced across row; 44 (48) sts. With size 10 needles, work stockinette st—k 1 row, p 1 row—for 8 rows. Inc. 1 st each side of next row. Repeat inc. each side every 8th row 4 times; 54 (58) sts. Work even until 54 rows—about 9 ins.—above inc. row, end with p row. Mark for underarm.
Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 13 (14) times; every row 4 times. Bind off 12 (14) sts. Sew shoulder seams.

NECK RIBBING—With size 6 needles, from wrong side, beg. at front edge, take up 23 sts of left front; 21 sts of back; with free size 6 needle, from right side, take up 23 sts of right front, join yarn, pick up and k 13 sts on shaped neck edge of right front, k 21 sts of back, pick up and k 13 sts on shaped neck edge of left front; work to left front edge; 93 sts.

Row 2—P 13, k 1, p 1, k 2 tog., p 1, k 1, p 2 tog., k 1, p 2 tog., k 1, * p 1, k 1; repeat from * to within 24 sts of end, p 2 tog., k 1, p 2 tog., k 1, p 1, k 2 tog., p 1, k 1, p 13; 87 sts.
Row 3—K 6, slip 1, k 6, p 1, * k 1, p 1; repeat from * to within 13 sts of end, k 6, slip 1, k 6.
Row 4—P 13, k 1, * p 1, k 1; repeat from * to within 13 sts of end, p 13.
Row 5—Work as for row 3, binding off for 7th set of buttonholes.
Row 6—Work as for row 4, casting on 2 sts over each buttonhole.
Repeat rows 3 and 4 once more. Repeat row 3 again, end on right side. Bind off knitting k sts and purling p sts.

FINISHING—Sew underarm and sleeve seams. Sew in sleeves with sleeve seam at center underarm. Turn 6 sts of each front edge to wrong side along turning st for facing and hem on wrong side. Sew open ends of front borders and facings tog. neatly at neck and lower edge. Finish buttonholes in blanket st working through both thicknesses.

Block, see page 51.

BUTTONS—Row 1—right side—With size 2 hook, make a loop on hook, work 20 sc over ring, join with slip st in first sc; fasten off leaving 10 in. end. Thread end of yarn into tapestry needle and from wrong side, draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 7 buttons and sew on left front band opposite buttonholes.

Style No. 3718

(Continued from Page 8)

Pattern—Row 1—right side—With size 8 needles, k 46 (49-51) sts, p 1, k 5, slip 1 st as to p for turning st, with free size 8 needle, cast on 6 sts for facing and k them onto same needle holding other sts; 59 (62-64) sts.

Row 2—P.
Repeat these 2 rows twice more; repeat row 1 again.

Row 8—Ridge row—wrong side—P 13 for front border and facing, k to end for ridge. Repeat these 8 rows until same length as right side of back to underarm, end with same pat. row as on back. Mark for underarm.

Armhole—Bind off 7 sts at beg. of next row; finish row. Dec. 1 st at armhole edge every 2nd row 6 (8-9) times; 46 (47-48) sts. With care to keep pat., work even until 5 (5¼-5½) ins. above underarm marker, end with p row at underarm edge.

Neck and Shoulder Shaping—K 33 (34-35) sts, work next 7 sts and place on holder for neck border, bind off remaining 6 sts; break yarn. Join yarn in first st on needle; work a ridge row. Dec. 1 st at end of next row at neck edge; repeat dec. at neck edge every row 6 more times; every 2nd row 5 times, shaping shoulder as for right side of back when armhole is same length as back.

RIGHT FRONT—With size 5 needles, cast on 53 (56-58) sts. Work garter st as on back for 10 rows.

Buttonhole rows—K 3, bind off 2 sts for buttonhole, k to end. Cast on 2 sts over buttonhole on next row.
Continue garter st for 10 more rows, end at front edge; cast on 6 sts for facing; 59 (62-64) sts.

Pattern—Row 1—right side—With size 8 needles, k 6 for facing, slip 1 st as to p for turning st, k 5, p 1, k to end.

Row 2—P.
Repeat these 2 rows twice more; repeat row 1 again.

Row 8—Ridge row—wrong side—K to within 13 sts of end, p 13.
Repeat rows 1 and 2 once more, end at front edge.

Double Buttonhole rows—K 2, bind off 2 sts for buttonhole, work until 5 sts from bind off, bind off 2 sts for buttonhole, finish row. Cast on 2 sts over each buttonhole on next row.
Continue to correspond to left front up to neck shaping, repeating buttonholes every 23rd and 24th row, shaping armhole as for left side of back, end on wrong side at front edge.
Neck and Shoulder Shaping—Bind off 6 sts, work next 6 sts, place these 7 sts on holder for neck border; finish row. Work ridge row. Dec. 1 st at beg. of next row; finish row. Finish to correspond to left front.

Sew shoulder seams.

SLEEVES—With size 5 needles, cast on 40 (42-44) sts. Work garter st border as on back for 22 rows.

Inc. row—K, increasing 6 sts evenly spaced across row; 46 (48-50) sts.
With size 8 needles, p 1 row, k 1 row for 6 rows.
Next row—Ridge row—K across row for ridge.
Next row—Inc. row—K, increasing 1 st each side of row; 48 (50-52) sts.

Repeat last 8 rows 11 more times; 70 (72-74) sts. Work even until about 15½ (15¼-15) ins. above cuff, end on right side with same row as on back at underarm. Bind off 6 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 15 (16-17) times; every row 4 times. Bind off 20 sts.

NECK BORDER—With size 5 needles, beg. at right front at neck edge, from right side, take up 7 sts of right front from holder, join yarn, pick up and k 22 sts on right neck edge; take up and k 26 sts of back, pick up and k 22 sts on left neck edge, take up and k 7 sts of left front; 84 sts. Work 5 rows in garter st. Work buttonhole on next 2 rows as for buttonhole on border at lower edge. Work garter st for 5 more rows. Bind off.

FINISHING—Sew side and sleeve seams. Turn back front facings along turning st and hem to wrong side. Sew in sleeves with sleeve seam at center underarm. Finish buttonholes in blanket st. Block, see page 51.

Style No. 3716

(Continued from Page 22)

Repeat these 2 rows until 10 rows from beg. Mark for top of waistband.
With size 11 needles, continue ribbing, increasing 1 st each side by casting on 1 st at end of each of next 2 rows; 51 (55) sts. Working increased sts in ribbing, work 4 rows even.
Repeat last 6 rows 3 times more; 57 (61) sts. Work even until 36 (32) rows —about 8½ (7½) ins.—above top of waistband, end on right side. Mark for underarm.

Armholes—Bind off 7 sts at beg. of each of next 2 rows; 43 (47) sts. Join armhole cable borders as follows: Starting at *shaped* edge of left armhole border, slip 7 sts from holder to free size 11 needle; work these sts to same needle as sts of back, twisting cable on center 3 sts as before.

Next row—wrong side—Work p 1, k 1 ribbing across row; starting at shaped edge of right armhole border, slip 7 sts from holder to free size 11 needle; work these sts to same needle as sts of back; 57 (61) sts.

Raglan Yoke Shaping—Row 1—First dec. row—right side—Work 6 sts in ribbing, slip, k and pass, work ribbing to within 8 sts of end, k 2 tog., work ribbing to end.

Row 2—Work 6 sts in ribbing, p 2, work ribbing to within 8 sts of end, p 2, work ribbing to end.

Row 3—2nd dec. row—Work first 6 sts twisting cable as before, slip, k and pass, work ribbing to within 8 sts of end, k 2 tog., work to end twisting cable as before; 53 (57) sts.

Row 4—Work even in ribbing.
Repeat these 4 rows 7 (8) times more; then repeat rows 1 and 2 again; 23 (23) sts.

Next row—K 1, p 1, slip 1, k 2 tog., pass slipped st over the "k 2 tog.", p 1, slip, k and pass; work ribbing to within 8 sts of end, k 2 tog., p 1, slip 1, k 2 tog., pass slipped st over the "k 2 tog.", p 1, k 1; 17 (17) sts. Break yarn; place sts on holder.

LEFT FRONT — Make armhole cable border as for right back armhole cable border, placing 7 sts on holder.
With size 9 needles, cast on 33 (35) sts. Work as on back for 3 rows.

Row 4—cable twist row—Work k 1, p 1 ribbing to within 5 sts of end, twist cable on next 3 sts, p 1, k 1.
Continue ribbing until 10 rows from beg., repeating cable twist at front edge as before every 4th row. Mark for top of waistband.
With size 11 needles, work ribbing across row, increasing 1 st at end by casting on 1 st. Repeat inc. at underarm edge every 6th row 3 times more, continuing cable twist at front edge every 4th row; 37 (39) sts. Work until 37 (33) rows above top of waistband, end on wrong side. Mark for underarm.

Armhole—Bind off 7 sts at beg. of next row, work to end twisting cable at front edge; 30 (32) sts. Join armhole border as follows:

Next row—Work across row; starting at shaped edge of armhole border, slip 7 sts from holder to free size 11 needle; work these sts to same needle as sts of front; 37 (39) sts.

Raglan Yoke Shaping—Row 1—First dec. row—right side—Work 6 sts in ribbing, slip, k and pass, work ribbing to end.

Row 2—Work ribbing to within 8 sts of end, p 2, work ribbing to end.

Row 3—2nd dec. row—Work first 6 sts twisting cable, slip, k and pass, work ribbing across row twisting cable at front edge; 35 (37) sts.

Row 4—Work even in ribbing.
Repeat these 4 rows 5 (6) times; then repeat rows 1, 2 and 3 once more; 23 (23) sts, end at front edge with cable twist row.

Short rows for neck shaping—Row 1—wrong side—Work 6 sts and place them on holder, finish row; 17 (17) sts.

Row 2—Work 6 sts, slip, k and pass, work up to holder; 16 sts, turn.

Row 3—Slip first st as to p, work to end.

Row 4—Work 6 sts twisting cable, slip, k and pass, work to within 2 sts of end of last row, turn.

Row 5—Same as row 3.

Row 6—Same as row 4, omitting cable twist.

Row 7—Same as row 3.

Row 8—K 1, p 1, slip 1, k 2 tog., pass the slipped st over "k 2 tog.", p 1, slip, k and pass; 5 sts on right needle; break yarn, slip 6 sts from left to right needle; slip these 11 sts to holder.

RIGHT FRONT — Make armhole cable border as for left back armhole cable border, placing 7 sts on holder.
With size 9 needles, cast on 33 (35) sts. Work as on back for 3 rows, end at front edge.

Row 4—cable twist row—K 1, p 1, twist cable on next 3 sts, work ribbing to end.

Row 5—Work in ribbing.

Row 6—buttonhole row—right side—K 1, p 1, slip, k and pass, yo, work ribbing to end.

Row 7—Work in ribbing.

Row 8—Same as row 4.
Work 2 rows ribbing. Mark for top of waistband.
With size 11 needles, work 1 row ribbing.

Next row—Work same as row 4, casting on 1 st at end of row for underarm inc.; 34 (36) sts. Work 5 rows even, repeating cable twist every 4th row, end at front edge. Repeat buttonhole on next row and inc. 1 st at underarm edge. Continue in this way, repeating underarm inc. every 6th row twice more and buttonhole every 12th row; 37 (39) sts. Work until 36 (32) rows above top of waistband, end at underarm edge. Mark for underarm.

Armhole—Bind off 7 sts, finish row.

Joining row—Work across row twisting cable, join armhole border at end of row as for left side of back twisting cable; 37 (39) sts.

Raglan Yoke Shaping—Row 1—Work in ribbing.

Row 2—First dec. row—right side—Work to within 8 sts of end, k 2 tog., finish row.
Continue to correspond to left front, shaping raglan as for left side of back and repeating buttonhole every 12th row until 23 (23) sts remain, end on right side with cable twist row.

Short rows for Neck Shaping—Row 1—Work to within 6 sts of end; turn.

Row 2—Slip first st as to p, work to within 8 sts of end, k 2 tog., finish row.

Row 3—Work to within 2 sts of end of last row; turn.

Row 4—Same as row 2.

Row 5—Same as row 3; turn.

Row 6—Same as row 2.

Row 7—Same as row 3; turn.

Row 8—Slip, k and pass, p 1, slip 1, k 2 tog., pass slipped st over "k 2 tog.", p 1, k 1. Break yarn, place all sts on holder; 17 sts.

SLEEVES—With size 9 needles, cast on 33 (37) sts. Work ribbing as on back for 8 rows. Mark for top of cuff. With size 11 needles, continue ribbing increasing 1 st each side by casting on 1 st at end of each of next 2 rows; 35 (39) sts. Work 4 rows even. Repeat last 6 rows 6 times, working increased sts in ribbing; 47 (51) sts. Work even until 9½ ins. above top of cuff, end on right side with a row which begins and ends with p 1.
Bind off 2 sts at beg. of each of next 2 rows.

(Continued on Next Page)

Style No. 3716 *(Continued from Page 40)*

Raglan Yoke Shaping—Row 1 — Work even.

Row 2—First dec. row—Slip, k and pass, work ribbing to within 2 sts of end, k 2 tog.

Row 3—P 2, work ribbing to within 2 sts of end, p 2.

Row 4—2nd dec. row—Same as first dec. row; 39 (43) sts.

Repeat last 4 rows 8 (9) times more; 7 (7) sts. Break yarn, place sts on holder.

NECK RIBBING—With right side of all pieces facing you, starting at front edge of right front, slip to size 9 needle 17 sts of right front; 7 sts of sleeve; 17 sts of back; 7 sts of other sleeve; 11 sts of left front. Starting at front edge of left front, from wrong side, take up 6 sts from holder to free size 9 needle; join yarn and to same needle, from wrong side, work p 1, k 1 ribbing across remaining 11 sts of left front, continue ribbing across left sleeve, back, right sleeve and right front; 65 sts.

Row 2—Work in ribbing working 7th buttonhole.

Row 3—Work in ribbing.

Row 4 — Work in ribbing repeating cable twist at front edges only.

Row 5—Work in ribbing, end at right front edge.

Bind off in ribbing. Do not break yarn. Ch 1, work 1 sc in end of every 2nd row on left front edge to lower edge. Fasten off. Join yarn on right front at lower edge and work sc to correspond to left front.

FINISHING—Sew side edges of armhole cables to adjoining bound-off underarm sts. Sew raglan seams, joining sleeves to back and fronts, sewing shaped edge of top of sleeves to even edge of armhole cables. Sew underarm and sleeve seams. sewing shaped edge of armhole cables tog. Block, see page 51.

Style No. 3713

(Continued from Page 18)

SLEEVES—With size 7 needles and A, cast on 38 (42) sts. Work k 1, p 1 ribbing for 3 ins., increasing 19 sts evenly spaced across last row; 57 (61) sts. Begin pat.

Pattern—With size 10 needles, k 1 row, p 1 row. Join B and beg. with row 3 on chart No. 2, follow pat. on chart increasing 1 st each side on 9th row above ribbing. Repeat inc. each side every 10th row 7 times. Work 1 row even after last inc. Inc. 1 st each side every row 4 times; 81 (85) sts. Mark for end of sleeve. Work 13 rows even to end of chart. Bind off loosely.

FINISHING—Sew underarm and shoulder seams. Sew sleeve seams up to marker for end of sleeve. Sew in sleeves sewing side edges left free at top of sleeves to sts bound off for underarm. Turn up hem on lower edge at turning ridge and hem on wrong side. Turn back neck facing at turning ridge and hem on wrong side. Block, see page 51.



12 Stitches—1 Repeat of Pattern

Chart No. 1

□—COLOR A—PURPLE

▨—COLOR B—WHITE

▽—COLOR C—PINK



Chart No. 2 Sleeve

Style No. 3701

(Continued from Page 2)

Work first 3 rows of next pat. Repeat 3rd set of buttonholes on next 2 rows. Repeating buttonholes every 23rd and 24th row—22 rows between each set of buttonholes—, continue even in pat. until there are 57 rows of pat. above inc. row, end with pat. row 1.

Dividing row—right side—Work 67 sts and place them on holder or strand of yarn for right front; bind off next 9 sts for right underarm; work until there are 87 sts from underarm bind-off, place these sts on holder for back; bind off next 9 sts for left underarm; finish row; 67 sts for left front.

LEFT FRONT—Continuing on sts of left front, work 1 row even. Dec. 1 st at armhole edge on next row, finish row. Repeat dec. at armhole edge every 2nd row 6 times, with care to keep pat.; 60 sts. Work even until there are 40 rows above dividing row, end at front edge with pat. row 14.

Neck and Shoulder Shaping—Work first 32 sts and place them on holder for neck ribbing, finish row. Keeping armhole edge even, dec. 1 st at neck edge on each of next 4 rows. Work even on remaining 24 sts until there are 51 rows — about 7½ (8) ins. — above dividing row, end at armhole edge. Bind off 8 sts at beg. of next row for shoulder, finish row. Bind off 8 sts at beg. of every 2nd row twice more.

BACK—Beg. at right armhole edge, slip sts of back to size 8 (10) needle, join yarn at left armhole edge and with size 8 (10) needles, work 1 row. Dec. 1 st each side of next row and repeat dec. each side every 2nd row 6 times, keeping pat. Work even on remaining 73 sts until there are 51 rows—about 7½ (8) ins. above dividing row, end on wrong side.

Shoulder Shaping—Bind off 8 sts at beg. of each of next 6 rows. Bind off remaining 25 sts for back of neck.

RIGHT FRONT—Beg. at front edge, slip sts of right front to size 8 (10) needle, join yarn at armhole edge and work 1 row. Dec. 1 st at armhole edge on next row. Repeat dec. at armhole edge every 2nd row 6 times; 60 sts. Repeating buttonholes as before work even until there are 41 rows above dividing row, end at front edge with pat. row 15—18 rows above 5th set of buttonholes.

Neck and Shoulder Shaping—Work first 32 sts and place them on holder for neck ribbing, finish row. Dec. 1 st at neck edge on each of next 4 rows, keeping armhole edge even. Work even on remaining 24 sts until there are 52 rows above dividing row, end at armhole edge. Bind off 8 sts at beg. of next row for shoulder, finish row. Bind off 8 sts at beg. of every 2nd row twice.
Sew shoulder seams.

NECK RIBBING—Beg. at left front edge, slip 32 sts of neck to size 5 (6) needle; then beg. at right front edge, slip 32 sts of neck to free size 5 (6) needle, join yarn and from right side, pick up and k 10 sts on right neck edge to shoulder; 23 sts across back of neck; 10 sts on left neck edge, work pat. across 9 sts on first needle; k 11, slip 1, k 11; 107 sts.

Row 1—P 23; k 1, * p 1, k 1; repeat from * to within 23 sts of end; p 23.

Row 2—K 11, slip 1, k 11; p 1, * k 1, p 1; repeat from * to within 23 sts of end, k 11, slip 1, k 11.

Row 3—Same as row 1.
Continue in this way repeating buttonholes in next 2 rows. Work 4 rows more. Bind off, knitting the k sts and purling the p sts.

SLEEVES—With size 5 (6) needles, cast on 38 sts. Work k 1, p 1 ribbing for 19 rows.

Inc. row—Work 1 more row of ribbing, increasing 11 sts evenly spaced across; 49 sts.

Pattern—Row 1—With size 8 (10) needles, p 8, * k 1, p 15 *; repeat between *'s once, k 1, p 8.

Row 2—right side—K 7, * p 3, k 13 *; repeat between *'s once, p 3, k 7.

Row 3—P 7, * k 3, p 13 *; repeat between *'s once, k 3, p 7.

Row 4—Inc. 1 st in first st, k 5, * p 5, k 11 *; repeat between *'s once, p 5, k 5, inc. 1 st in last st; 51 sts.

Row 5—P 7, * k 5, p 11 *; repeat between *'s once, k 5, p 7.

Row 6—K 6, * p 7, k 9 *; repeat between *'s once, p 7, k 6.

Row 7—P 6, * k 7, p 9 *; repeat between *'s once, k 7, p 6.

Row 8—K 5, * p 2, k 2, p 1, k 2, p 2, k 7 *; repeat between *'s once, p 2, k 2, p 1, k 2, p 2, k 5.

Row 9—P 5, * k 2, p 2, k 1, p 2, k 2, p 7 *; repeat between *'s once, k 2, p 2, k 1, p 2, k 2, p 5.

Row 10—Inc. 1 st in first st, k 3, * p 3, k 2, p 1, k 2, p 3, k 5 *; repeat between *'s once, p 3, k 2, p 1, k 2, p 3, k 3, inc. 1 st in last st; 53 sts.

Row 11—P 5, * k 3, p 2, k 1, p 2, k 3, p 5 *; repeat between *'s twice.

Row 12—cable twist row—P 1, k 3, * p 4, twist cable on next 5 sts, p 4, k 3 *; repeat between *'s twice, p 1.

Row 13—K 1, p 3, * k 4, p 2, k 1, p 2, k 4, p 3 *; repeat between *'s twice, k 1.

Row 14—P 2, k 1, * p 5, k 2, p 1, k 2, p 5, k 1 *; repeat between *'s twice, p 2.

Row 15—K 2, p 1, * k 5, p 2, k 1, p 2, k 5, p 1 *; repeat between *'s twice, k 2.

Row 16—Inc. 1 st in first st, k 3, * p 4, k 2, p 1, k 2, p 4, k 3 *; repeat between *'s twice, inc. 1 st in last st; 55 sts.

Row 17—K 2, p 3, * k 4, p 2, k 1, p 2, k 4, p 3 *; repeat between *'s twice, k 2.

Row 18—cable twist row—P 1, k 5, * p 3, twist cable on next 5 sts, p 3, k 5 *; repeat between *'s twice, p 1.

Row 19—K 1, p 5, * k 3, p 2, k 1, p 2, k 3, p 5 *; repeat between *'s twice, k 1.

Row 20—K 7, * p 2, k 2, p 1, k 2, p 2, k 7 *; repeat between *'s twice.

Row 21—P 7, * k 2, p 2, k 1, p 2, k 2, p 7 *; repeat between *'s twice.

Row 22—Inc. 1 st in next st, k 7, * p 7, k 9 *; repeat between *'s once, p 7, k 7, inc. 1 st in last st; 57 sts.

Row 23—P 9, * k 7, p 9 *; repeat between *'s twice.

Row 24—K 10, * p 5, k 11 *; repeat between *'s once, p 5, k 10.

Row 25—P 10, * k 5, p 11 *; repeat between *'s once, k 5, p 10.

Row 26—K 11, * p 3, k 13 *; repeat between *'s once, p 3, k 11.

Row 27—P 11, * k 3, p 13 *; repeat between *'s once, k 3, p 11.

Row 28—Inc. 1 st in first st, k 11, * p 1, k 15 *; repeat between *'s once, p 1, k 11, inc. 1 st in last st; 59 sts.
Continue in pat., increasing 1 st each side every 6th row 4 times more; 67 sts. Work even until there are 57 rows—about 8 (8¾) ins.—above inc. row, end with pat. row 1. Bind off 5 sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 13 times; then every row 6 times. Bind off remaining 17 sts.

FINISHING—Sew sleeve seams. Sew in sleeves with sleeve seam at center underarm. Turn 11 sts of each front facing to wrong side at turning st and hem. Sew open ends of borders and facings tog. neatly at neck and lower edge. Finish buttonholes in blanket st, working through both thicknesses. Block, see page 51.

BUTTONS—Row 1—right side—With size 2 steel hook, make loop on hook, work 18 sc over ring, join with slip st in first sc; fasten off leaving 10-in. end. Thread end of yarn into tapestry needle and from wrong side, draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 6 buttons and sew on left front opposite buttonholes.

(Continued on Next Page)

Style No. 3701 *(Continued from Page 42)*

PULLOVER

BACK—With size 5 (6) needles, cast on 78 sts. Work k 1, p 1 ribbing for 23 (19) rows.

Inc. row—Work 2 sts in ribbing, * inc. 1 st in next st, work 3 sts in ribbing; repeat from * 18 times; 97 sts.

Pattern—Row 1—With size 8 (10) needles, p 8, * k 1, p 15 *; repeat between *'s 4 times, k 1, p 8.

Row 2—right side—K 7, * p 3, k 13 *; repeat between *'s 4 times, p 3, k 7.

Row 3—P 7, * k 3, p 13 *; repeat between *'s 4 times, k 3, p 7.

Row 4—K 6, * p 5, k 11 *; repeat between *'s 4 times, p 5, k 6.

Row 5—P 6, * k 5, p 11 *; repeat between *'s 4 times, k 5, p 6.

Row 6—K 5, * p 7, k 9 *; repeat between *'s 4 times, p 7, k 5.

Row 7—P 5, * k 7, p 9 *; repeat between *'s 4 times, k 7, p 5.

Row 8—K 4, * p 2, k 2, p 1, k 2, p 2, k 7 *; repeat between *'s 4 times, p 2, k 2, p 1, k 2, p 2, k 4.

Row 9—P 4, * k 2, p 2, k 1, p 2, k 2, p 7 *; repeat between *'s 4 times, k 2, p 2, k 1, p 2, k 2, p 4.

Row 10—K 3, * p 3, k 2, p 1, k 2, p 3, k 5 *; repeat between *'s 4 times, p 3, k 2, p 1, k 2, p 3, k 3.

Row 11—P 3, * k 3, p 2, k 1, p 2, k 3, p 5 *; repeat between *'s 4 times, k 3, p 2, k 1, p 2, k 3, p 3.

Row 12—cable twist row—K 2, * p 4, slip next 3 sts to hook and hold at back of work, k next 2 sts, slip p st from hook back to left hand needle and p this st, k 2 sts from hook —a cable twist—, p 4, k 3 *; repeat between *'s 4 times, p 4, twist cable on next 5 sts as before, p 4, k 2.

Row 13—P 2, * k 4, p 2, k 1, p 2, k 4, p 3 *; repeat between *'s 4 times, k 4, p 2, k 1, p 2, k 4, p 2.

Row 14—K 1, * p 5, k 2, p 1, k 2, p 5, k 1 *; repeat between *'s 5 times.

Row 15—P 1, * k 5, p 2, k 1, p 2, k 5, p 1 *; repeat between *'s 5 times.

Row 16—K 2, * p 4, k 2, p 1, k 2, p 4, k 3 *; repeat between *'s 4 times, p 4, k 2, p 1, k 2, p 4, k 2.

Row 17—Same as row 13.

Row 18—K 3, * p 3, twist cable on next 5 sts as on row 12, p 3, k 5 *; repeat between *'s 4 times, p 3, twist cable on next 5 sts, p 3, k 3.

Row 19—Same as row 11.

Row 20—Same as row 8.

Row 21—Same as row 9.

Row 22—Same as row 6.

Row 23—Same as row 7.

Row 24—Same as row 4.

Row 25—Same as row 5.

Row 26—Same as row 2.

Row 27—Same as row 3.

Row 28—K 8, * p 1, k 15 *; repeat between *'s 4 times, p 1, k 8.

These 28 rows are repeated for pat. Work even in pat. until there are 57 rows of pat. above inc. row, end on wrong side with pat. row 1. Mark for underarm.

Armholes—Continue in pat., binding off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 7 times, with care to keep pat. Work even in pat. on remaining 73 sts until there are 45 rows — about 6½ (7) ins. — above underarm marker, end on right side with pat. row 18.

Neck and Shoulder Shaping—Work 28 sts and place them on holder or strand of yarn for first shoulder; work 17 sts and place them on holder for neck edge; work remaining 28 sts for 2nd shoulder. Continuing on sts of 2nd shoulder, dec. 1 st at neck edge on each of next 4 rows; 24 sts. Work 2 rows even, end at armhole edge. Bind off 8 sts at beg. of next row for shoulder, finish row. Bind off 8 sts at beg. of each of next 2 rows worked from armhole edge.

Beg. at armhole edge, slip 28 sts of first shoulder to size 8 (10) needle. Join yarn at neck edge and work to correspond to other shoulder, binding off for shoulder at beg. of rows worked from wrong side.

NECK RIBBING—From wrong side, slip 17 center sts to size 5 (6) needle; from right side, with free size 5 (6) needle, beg. at shoulder, pick up and k 11 sts on neck edge, k across 17 center sts, pick up and k 12 sts on other edge of neck; 40 sts. Work k 1, p 1 ribbing for 11 rows. Bind off loosely in ribbing.

FRONT—Same as Back.

SLEEVES—Same as Sleeves of Cardigan, see page 42.

FINISHING—Sew underarm and sleeve seams. Sew shoulder seams, sewing ends of neck ribbing tog. Sew in sleeves matching seams. Block, see page 51.

Style No. 3709

(Continued from Page 13)

Row 5—P 1, k 1, p 1, k 1, p 1; * k to within 2 sts of marker, inc. 1 st in next st, k 1, slip marker to right needle; k 4, inc. 1 st in next st; repeat from * 3 times, k to within 5 sts of end, p 1, k 1, p 1, k 1, p 1; 95 (99) sts. Repeat rows 2, 3, 4 and 5, twice more; 127 (131) sts.

Row 14—buttonhole row—K 1, p 1, yo, p 2 tog. for buttonhole, k 1; * p to marker, slip marker as before; repeat from * 3 times, p to within 5 sts of end, k 1, p 1, k 1, p 1, k 1. Repeat rows 3, 4 and 5 once. Repeat rows 2, 3, 4 and 5, 3 times; 191 (195) sts.

Row 30—buttonhole row—Same as row 14. Repeat rows 3, 4 and 5 once. Repeat rows 2, 3, 4 and 5, 3 times; 255 (259) sts.

Row 46—buttonhole row—Same as row 14. Repeat rows 3, 4 and 5 once. Repeat rows 2, 3, 4 and 5, 1 (2) times; 287 (307) sts. Remove markers when working next row.

Row 54 (58)—Dividing row—wrong side—K 1, p 1, k 1, p 1, k 1; p 41 (45); place these 46 (50) sts on strand of yarn for right front; p 60 (64) sts and place them on strand of yarn for right sleeve; p 75 (79) sts and place them on strand of yarn for back; p 60 (64) sts and keep on needle for left sleeve; place remaining 46 (50) sts on strand of yarn for left front.

(Continued on next page)

Style No. 3709 (Continued from Page 43)

LEFT SLEEVE—Continue in stockinette st—k 1 row, p 1 row—on sts of left sleeve, casting on 2 (3) sts at beg. of each of next 2 rows; 64 (70) sts. Work 8 (4) rows even. Dec. 1 st each side of next row. Repeat dec. each side every 4th row 8 (10) times; 46 (48) sts. Work 5 (1) rows even—about 8 ins. from dividing row. With size 7 needles, work k 1, p 1 ribbing for 12 rows. Bind off loosely in ribbing.

RIGHT SLEEVE—From wrong side, beg. at front edge, slip sts of right sleeve from strand of yarn to size 9 needle. Beg. on right side, join yarn and with size 9 needles, work as for left sleeve.
Sew sleeve seams.

BODY—From wrong side, beg. at right front edge, slip 46 (50) sts of right front and 75 (79) sts of back from strands of yarn to size 9 needle; from right side, beg. at left front edge, slip 46 (50) sts of left front to free size 9 needle; working from wrong side, join yarn and p 41 (45) sts of left front to same needle as sts of back and right front; k 1, p 1, k 1, p 1, k 1.

Row 1—Joining row—right side—P 1, k 1, p 1, k 1, p 1; k to end of left front, pick up and k 4 (6) sts on sts cast on for left sleeve underarm, k across sts of back, pick up and k 4 (6) sts on sts cast on for right sleeve underarm, k to within 5 sts of end of right front, p 1, k 1, p 1, k 1, p 1; 175 (191) sts.

Row 2—K 1, p 1, k 1, p 1, k 1; p to within 5 sts of end; k 1, p 1, k 1, p 1, k 1.

Row 3—P 1, k 1, p 1, k 1, p 1; k to within 5 sts of end; p 1, k 1, p 1, k 1, p 1.

For size 12-14 only, repeat last 2 rows twice more.

For both sizes—Continuing as for last 2 rows, work buttonhole on next row as before.
Continue in same way, repeating buttonhole every 16th row twice more. Work even until there are 50 (46) rows from dividing row—about 8½ (8) ins. below underarm, end on wrong side.

Note: There are 4 rows more for body on size 12-14 than on size 16-18 to compensate for difference in length of raglan.

Dec. row—P 1, k 1, p 1, k 1, p 1; k 5 (4), * k 2 tog., k 7; repeat from * 16 (18) times, k 2 tog., k 5 (4); p 1, k 1, p 1, k 1, p 1; 157 (171) sts.

Ribbing—Row 1—wrong side—With size 7 needles, k 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.
Repeat rows 1 and 2 once.

Row 5—Same as row 1, working 8th buttonhole as before.
Repeat rows 2 and 1 until there are 11 rows ribbing in all. Bind off in ribbing.

CROCHET EDGING—Beg. at lower edge of right front, from right side with size G (5) hook, work 62 sc on front edge to neck—working about 1 sc in every 2nd row and keeping work flat. Fasten off.
Beg. at neck edge of left front, work 1 row sc on left front edge in same way.
Block, see page 51.

BUTTONS—Row 1—right side—With size 2 steel hook, make loop on hook, work 14 sc over ring, join with slip st in first sc; fasten off leaving 10-in. end. Thread end of yarn into tapestry needle and from wrong side, draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 8 buttons and sew on left front opposite buttonholes.

Style No. 3717
(Continued from Page 24)

Row 1—right side—Beg. at right underarm edge, with size 8 (9) needles, join yarn and dec. 1 st each side of row.
Repeat dec. each side every 2nd row 4 times, keeping pat.; 76 sts. Work even until there are 55 rows above dividing row, end on right side with pat. row 15.

Shoulders—Bind off 8 sts at beg. of each of next 4 rows; 9 sts at beg. of each of next 2 rows. Place remaining 26 sts on strand of yarn for neck ribbing.

LEFT FRONT—From wrong side, slip 54 sts of left front to size 8 (9) needle.

Row 1—right side—Beg. at left underarm edge, with size 8 (9) needles, join yarn and dec. 1 st at beg. of row, finish row.
Repeat dec. at armhole edge every 2nd row 4 times more; 49 sts. Work even until 41 rows above dividing row, end on right side with pat. row 15.

Neck Shaping—Work 16 sts and place them on strand of yarn for neckband, finish row. Work 2 rows even. Dec. 1 st at neck edge every row 8 times; 25 sts. Work 4 rows even, end at armhole edge with pat. row 16.

Shoulder Shaping—Row 1—Bind off 8 sts, finish row.
Work 1 row even. Repeat last 2 rows once. Bind off remaining 9 sts. Sew shoulder seams.

NECKBAND—From wrong side, starting at left front edge, slip 16 sts of left neck edge and 26 sts of back neck to size 5 (6) needle; from right side, starting at right front edge, slip 16 sts of right neck edge to free size 5 (6) needle, join yarn and with same needle, from right side, pick up and k 12 sts on right neck edge to shoulder, k across 26 sts of back decreasing 3 sts evenly spaced, pick up and k 12 sts on left neck edge, k to within 5 sts of left front edge; work seed st to end; 79 sts.

Row 1—Work 5 sts seed st; p 1, k 2 tog., p 1, k 1, p 1, k 1, p 1, k 1, p 2 tog.; k 1, * p 1, k 1; repeat from * to within 16 sts of end, p 2 tog., k 1, p 1, k 1, p 1, k 1, p 1, k 2 tog., p 1, work 5 sts seed st; 75 sts.

Row 2—right side—Work 5 sts seed st, k 1, * p 1, k 1; repeat from * to within 5 sts of end, work 5 sts seed st.

Row 3—Work 5 sts seed st, p 1, * k 1, p 1; repeat from * to within 5 sts of end, work 5 sts seed st.

Row 4—buttonhole row—Work 5 sts seed st, repeating buttonhole as before, finish as for row 2.
Work 5 more rows as for rows 3 and 2. Bind off in seed st and ribbing.

SLEEVES—With size 5 (6) needles, cast on 41 sts.

Ribbing—Row 1—P 1, * k 1, p 1; repeat from * to end.

Row 2—right side—K 1, * p 1, k 1; repeat from * to end.
Repeat these 2 rows 7 (6) times more.

Row 17 (15)—Inc. row—Work ribbing, increasing 1 st in every 2nd st 19 times, finish row; 60 sts.

PATTERN—Row 1—right side—With size 8 (9) needles, k all sts.

Row 2—P 1, * k 2, p 6; repeat from * across row, end last repeat k 2, p 1.

Row 3—K.

Row 4—P 1, * k 2, p 6; repeat from * across row, end last repeat k 2, p 1.
Repeat rows 3 and 4, 3 times more.

(Continued on next page)

Style No. 3717 *(Continued from Page 44)*

Row 11—† * K 1, wrapping yarn twice around needle as on body, k 2, k 1 wrapping yarn twice around needle *, k 4; repeat from † across row, end repeat between *'s once.

Row 12—† * Bring yarn to front of work and slip 1 st as to p, dropping extra wrap, take yarn to back and k 2, bring yarn to front and slip next st as to p dropping extra wrap, take yarn to back *, k 4; repeat from † across row, end repeat between *'s once.

Row 13—† * With yarn at back slip 1 st as to p, k 2, with yarn at back, slip next st as to p *, k 4; repeat from † across row, end repeat between *'s once.

Row 14—† * Bring yarn to front and slip 1 st as to p, take yarn to back and k 2, bring yarn to front and slip next st as to p, take yarn to back *, k 4; repeat from † across row, end repeat between *'s once..

Row 15—twist row—† * Slip long st to hook and hold at front, skip next 2 sts on left needle, k into front loop of next long st but do not drop from left needle, k the 2 skipped sts, drop long st from left needle, k st from hook *; k 4; repeat from † across row, end repeat between *'s once.

Row 16—Same as row 4.
Last 14 rows—rows 3 to 16 inclusive—are repeated for pat.

Row 17—Work as for row 3 increasing 1 st each side.
With care to keep pat., repeat inc. each side every 14th row 3 times more; 68 sts. Work even until there are 71 rows—about 9½ (10) ins., above ribbing, end on right side, with pat. row 15. Bind off 5 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 15 times. Bind off 3 sts at beg. of each of next 2 rows; 2 sts at beg. of each of next 2 rows. Bind off remaining 18 sts.

FINISHING—Sew sleeve seams. Sew in sleeves matching pats. and underarm seams.
With size F (4) hook, from right side, work 1 row sc on each front edge, keeping work flat.
Finish buttonholes in blanket st. Block, see page 51.

BUTTONS—With size 2 steel hook, make loop on hook, work 18 sc over ring; join with slip st in first sc. Fasten off, leaving 12-in. end. Thread end in tapestry needle and draw through back loop of each sc. Gather up tightly and fasten securely, leaving end to sew on button. Make 6 buttons and sew on left front, opposite buttonholes.

PULLOVER

BACK—With size 5 (6) needles, cast on 89 sts for lower edge.

Ribbing—Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end. Repeat rows 1 and 2 until there are 20 (18) rows from beg.

Row 21 (19)—Inc. row—Work in ribbing, increasing 1 st in every 9th st 9 times, work ribbing to end; 98 sts.

PATTERN—Row 1—right side—With size 8 (9) needles, k all sts.

Row 2—P 4, * k 2, p 6; repeat from * across row, end last repeat k 2, p 4.

Row 3—K all sts.

Row 4—P 4, * k 2, p 6; repeat from * across row, end last repeat k 2, p 4.
Repeat rows 3 and 4, 3 times more.

Row 11—K 3, * k next st wrapping yarn twice around needle instead of once, k 2, k next st wrapping yarn twice around needle, k 4; repeat from * across row, end last repeat k 3, instead of k 4.

Row 12—K 3, * bring yarn to front of work and slip next st as to p dropping extra wrap, take yarn to back and k 2, bring yarn to front and slip next st as to p dropping extra wrap, take yarn to back, k 4; repeat from * across row, end last repeat k 3.

Row 13—K 3, * with yarn at back of work, slip next st as to p, k 2, with yarn at back, slip next st as to p, k 4; repeat from * across row, end last repeat k 3.

Row 14—K 3, * bring yarn to front and slip next st as to p, take yarn to back and k 2, bring yarn to front and slip next st as to p, take yarn to back, k 4; repeat from * across row, end last repeat k 3.

Row 15—twist row—K 3, * slip next long st to hook and hold at front, skip next 2 sts on left needle, k into front loop of next long st but do not drop from left needle, k the 2 skipped sts, drop long st from left needle, k st from hook, k 4; repeat from * across row, end last repeat k 3.

Row 16—Same as row 4.
Repeating last 14 rows—rows 3 to 16 inclusive—for pat., work even until there are 71 rows—about 9½ (10) ins.—above inc. row, end on right side with pat. row 15. Mark for underarm.

Armholes—Bind off 5 sts at beg. of each of next 2 rows for underarm. With care to keep pat., dec. 1 st each side every 2nd row 6 times; 76 sts. Work even until there are 46 rows—about 6¼ (6½) ins.—above underarm marker, end on right side with pat. row 5.

Neck Shaping—Row 1—Work 25 sts and place them on strand of yarn for left side, work 26 sts and place them on strand of yarn for neck; finish row; 25 sts for right side.

Right Side—Continue on sts of right side decreasing 1 st at neck edge every row 4 times; 21 sts. Work even until 57 rows above underare marker, end on wrong side with pat. row 16.

Shoulder Shaping—Row 1—Bind off 7 sts, finish row.
Work 1 row even. Repeat last 2 rows once. Bind off remaining 7 sts.

Left Side—Starting at armhole edge, from wrong side, slip 25 sts of left side to size 8 (9) needle. Beg. at neck edge, join yarn and dec. 1 st at neck edge every row 4 times; 21 sts. Work even until 56 rows above underarm marker, end on right side with pat. row 15.

Shoulder Shaping—Row 1—Bind off 7 sts, finish row.
Work 1 row even. Repeat last 2 rows once. Bind off remaining 7 sts.

NECK RIBBING—From wrong side, slip 26 sts of neck to size 5 (6) needle; from right side, with free size 5 (6) needle, beg. at shoulder, pick up and k 9 sts on right neck edge, k across 26 sts, pick up and k 10 sts on left neck edge to shoulder; 45 sts.

Row 1—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end. Repeat rows 1 and 2 until there are 11 rows in all. Bind off loosely in ribbing.

FRONT—Same as back.

SLEEVES—Same as Sleeves of Cardigan, see page 44.

FINISHING—Sew underarm and sleeve seams. Sew shoulder seams, sewing edges of neck ribbing tog. Sew in sleeves, matching pats. and underarm seams. Block, see page 51.

Style No. 3705

(Continued from Page 8)

With size 8 needles and A only, work even until 7¼ (7¾) ins. above underarm marker, end with k row.

Dividing row—P 25 (28) sts, place on holder for left half of back, p 19, place on holder for neckband, finish row; 25 (28) sts for right half of back.

Neck and Shoulder Shaping—Keeping armhole edge even, dec. 1 st at end of next row at neck edge. Repeat dec. at neck edge every row 3 more times; 21 (24) sts. Bind off 7 (8) sts at beg. of next row for shoulder. Repeat bind off from same edge every 2nd row twice more to complete shoulder shaping.

Take up 25 (28) sts of left half from holder. Join yarn at neck edge; dec. 1 st at beg. of row at neck edge, finish row. Finish to correspond to right half of back.

LEFT FRONT—With size 7 needles and B, cast on 61 (67) sts. Work seed st as for lower edge of back; break B.

Pattern — "A" Stripe — With size 8 needles and A, k 1 row, p 1 row, end at underarm edge.

Next row—K to within 8 sts of end, with yarn at back, slip 1 st as to p for turning st, k to end for facing. P 1 row. Repeat last 2 rows 8 more times. Break A.

"B" Stripe—With size 7 needles and B, k 1 row, omitting slip st. Work 7 rows seed st as before. Break B. Repeat these 28 rows for pat.

Work even in pat. until same length as right side of back to underarm, end on wrong side at underarm edge with same pat. row as on back. Mark for underarm.

Armhole—With A, bind off 5 (6) sts at beg. of next row. Dec. 1 st at armhole edge every 2nd row 7 (9) times, with care to keep stripe pat.; 49 (52) sts. With B, work even until 5th "B" stripe is completed. Break B. With size 8 needles and A only, work even until about 6 (6½) ins. above underarm marker, end at front edge on right side.

Neck and Shoulder Shaping—Bind off 7 sts for neck at beg. of next row, p 15, slip last 16 sts to holder for neckband, finish row. Keeping armhole edge even, dec. 1 st at end of next row at neck edge. Repeat dec. at neck edge every 2nd row 4 more times, shaping shoulder as for right side of back when armhole is same length as back.

RIGHT FRONT—With size 7 needles and B, cast on 61 (67) sts. Work seed st as for lower edge of back; break B.

Pattern — "A" Stripe — With size 8 needles and A, k 1 row, p 1 row, end at front edge.

Next row—K 7 for facing, with yarn at back, slip 1 st as to p for turning st, k to end. P 1 row.

Continue to work this way until there are 9 rows of "A" stripe, end with k row at underarm edge.

Buttonhole rows — wrong side — P to within 13 sts of end, bind off 3 sts for buttonhole, p until 5 sts from bind off, bind off next 3 sts for buttonhole, p 1.

Next row—K 2, cast on 3 sts over buttonhole, k 2, slip 1 st as before, k 2, cast on 3 sts over buttonhole; finish row.

Work to correspond to left front to neck shaping, repeating buttonhole rows every 10th and 11th row of an "A" stripe, shaping armhole at opposite side until 6 (6½) ins. above underarm marker, end on right side at underarm edge.

Neck and Shoulder Shaping — wrong side—P to within 7 sts of end, place last 16 sts worked on holder for neckband, bind off last 7 sts. Break yarn.

Next row—Join yarn at neck edge, dec. 1 st at beg. of row, finish row. Finish to correspond to left front.

SLEEVES—With size 7 needles and B, cast on 49 sts. Work seed st as for lower edge of back for 7 rows. Continuing to work stripe pat. as for back, inc. 1 st each side of next row. Repeat inc. each side every 8th (6th) row 7 (9) more times; 65 (69) sts. Work even until about 10½ (10¼) ins. from beg., end with same pat. row as on back at underarm. Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 15 (17) times, with care to keep stripe pat.; 27 sts. P 1 row after last dec. row. Bind off 2 sts at beg. of each of next 4 rows. Bind off 19 sts. Sew shoulder seams.

NECKBAND—With size 7 needles, beg. at left front edge, from wrong side, take up from holders, 16 sts of left front; 19 sts of back and 16 sts of right front.

Next row—right side—Join B in first st; k across 16 sts of right front, decreasing 3 sts evenly spaced; pick up and k 15 sts along right neck edge; k across 19 sts of back, decreasing 4 sts evenly spaced; pick up and k 15 sts along left neck edge; k across 16 sts of left front, decreasing 3 sts evenly spaced; 71 sts.

Work seed st as for lower edge for 8 rows. K 1 row from wrong side inserting needle in back of sts for turning ridge. K 1 row, p 1 row for 6 rows for facing. Bind off as to k.

FINISHING—Sew seams with matching color yarn, matching stripes. Sew in sleeves with sleeve seam at center underarm, matching B stripe. Turn back front facings along turning st and hem to wrong side. Turn back facing on neckband along turning ridge and hem to wrong side.

Finish buttonholes in blanket st. Block, see page 51. Sew on snap fastener at neck edge, if desired.

Style No. 3712

(Continued from Page 16)

Work sl st on right front border to correspond. Turn back borders on front edges folding on sl sts *with k side on right side.* Pin border in place. Sew to front on st next to sl st on edge leaving sl st free. Turn back facing of collar on turning ridge and hem on wrong side. Weave edges of front facings to edges of collar facings. Tack open edges of front borders tog. so that there will be a ridge showing to match turning ridge of collar hem. Sew in sleeves with sleeve seam at center underarm. From right side, work 1 row sc on lower edge of sleeves and jacket, working through double thickness of borders. Sew pocket linings to wrong side. Block, see page 51.

Style No. 3710

(Continued from Page 14)

Continuing pat. as on body, work 3 more rows even.

Row 7—cable twist row—Inc. 1 st each side of row. Repeat incs. every 8th (6th) row 5 (7) more times, working pat. on the increased sts; 62 (66) sts. Work even until 59 (57) rows—about 10 (9½) ins.—above **inc.** row, end with pat. row 10 (8). Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. With care to keep pat., repeat dec. each side every 2nd row 11 (12) more times; 30 (32) sts. Dec. 1 st each side of every row 3 times. Bind off 3 (4) sts at beg. of each of next 2 rows. Bind off remaining 18 sts. Sew shoulder seams.

NECK RIBBING—With size 6 needles, beg. at right front edge, take up the 25 sts of right front neck; join yarn and from right side, pick up and k 18 sts along front and back neck edge to back of neck sts; with free size 6 needles, beg., at left front edge, take up the 25 sts of left front; 30 sts of back neck; work across the 30 sts in pat., pick up and k 18 sts along back and front neck edge; work across the 25 sts of left front in pat.; 116 sts.

Row 1—wrong side—P 13; k 2, * p 2, k 2; repeat from * to within 13 sts of end, p 13.

Row 2—K 6, slip turning st, k 6; p 2, * k 2, p 2; repeat from * to within 13 sts of end, k 6, slip turning st, k 6.
Repeat last 2 rows once more; repeat row 1 once more.
Continuing as for rows 2 and 1, work a set of buttonholes on right front as before.

Row 8—Same as row 2.

Row 9—dec. row—wrong side—P 13; k 2 tog.; * p 2, k 2 tog.; repeat from * to within 13 sts of end, p 13; 93 sts.

Row 10—K 6, slip turning st, k 6; p 1, * k 2, p 1; repeat from * to within 13 sts of end; k 6, slip turning st, k 6.

Row 11—P 13, k 1, * p 2, k 1; repeat from * to within 13 sts of end, p 13. Bind off knitting k sts and purling p sts.

FINISHING—Sew sleeve seams. Sew in sleeves with sleeve seam at center underarm. Turn front facings to wrong side on turning st and hem. Sew fronts and facings tog. neatly at neck and lower edge. Finish buttonholes in blanket st, working through both thicknesses. Block, see page 51.

BUTTONS—Make a loop on hook and work 18 sc over ring, join with a slip st in first sc. Fasten off, leaving a 10-in. end. Thread end of yarn into tapestry needle and from wrong side draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 6 buttons.

PULLOVER

BACK—With size 6 needles, cast on 90 (98) sts.

Ribbing—Row 1—wrong side—K 2, * p 2, k 2; repeat from * to end.

Row 2—P 2, * k 2, p 2; repeat from * to end. Repeat these 2 rows until there are 19 rows—about 2½ ins.—from beg., end on wrong side.

PATTERN — Row 1 — right side — With size 10½ needles, p 2, * slip next 2 sts to hook and hold at front of work, k next 2 p sts, p next 2 k sts, k 2 sts from hook, p 2 *; repeat between *'s to end.

Row 2—K 2, * p 2, k 2; repeat from * to end.

Row 3—P 2, * k 2, p 2; repeat from * to end.

Row 4—Work as for row 2.

Row 5—Work as for row 3.

Row 6—Work as for row 2.

Row 7—P 2, k 2, p 2; repeat between *'s of pat. row 1 to within 4 sts of end; k 2, p 2. Repeat rows 2, 3, 4, 5 and 6 once more. Repeat these 12 rows for pat.
Work even in pat. until 58 (56) rows—about 10 (9½) ins.—above ribbing, end on wrong side with pat. row 10 (8). Mark for underarm.

Armholes—Bind off 3 (4) sts at beg. of each of next 4 rows. With care to keep pat., dec. 1 st each side of next row; repeat dec. each side every 2nd row 5 more times; 66 (70) sts.

Note: Do not twist cable at beg. or end of row unless there is a st at edge before cable twist at beg. of row or after cable twist at end of row.

Work even until 39 (41) rows—about 6½ (7) ins.—above marker, end on right side with pat. row 1.

Dividing row for Neck—wrong side—Work first 18 (20) sts and slip to holder for left half of back; work next 30 sts and slip to holder for neck ribbing; finish row for right half of back; 18 (20) sts.
Continue on sts of right half, keeping armhole edge even, with care to keep pat., dec. 1 st at neck edge every row twice; 16 (18) sts. Work even until 46 (48) rows—about 7½ (8) ins.—above underarm marker, end on wrong side.

Shoulder Shaping—Row 1—Bind off 8 (9) sts, finish row.

Row 2—Work even. Bind off remaining 8 (9) sts to complete shoulder.
Take up the 18 (20) sts of left half, join yarn at neck edge and with size 10½ needles, dec. 1 st at neck edge every row twice; 16 (18) sts. Work even until 47 (49) rows above underarm marker, end on right side. Shape shoulder to correspond to right half.

NECK RIBBING—Join yarn at neck edge of right shoulder; with size 6 needle, from right side, pick up and k 7 sts on shaped edge of neck; slip the 30 sts of neck from holder to free size 6 needle and work across these 30 sts in pat.; pick up and k 7 sts on other side of neck to shoulder; 44 sts.
Row 1—wrong side—P 1, * k 2, p 2; repeat from * to within 3 sts of end, k 2, p 1.

Row 2—K 1, * p 2, k 2; repeat from * to within 3 sts of end, p 2, k 1.
Repeat these 2 rows 3 more times; repeat row 1 once more. Bind off knitting k and purling p sts.

FRONT—With size 6 needles, cast on 98 (106) sts. Work same as back to dividing row for neck, end on right side with pat. row 1 (1); 74 (78) sts.

Dividing row for Neck—wrong side—Work first 18 (20) sts and slip to holder for right half of front; work next 38 sts and slip to holder for neck ribbing; finish row for left half of front; 18 (20) sts.
Continue on sts of left half, keeping armhole edge even, dec. 1 st at neck edge every row twice; 16 (18) sts. Work even until 46 (48) rows above underarm marker, end on wrong side.

Shoulder Shaping—Row 1—Bind off 8 (9) sts, finish row.

Row 2—Work even. Bind off remaining 8 (9) sts.
Take up 18 (20) sts of right side; join yarn at neck edge and complete to correspond to left side.

NECK RIBBING—Join yarn at neck edge of left shoulder, with size 6 needles, from right side, pick up and k 7 sts on shaped edge of neck; slip the 38 sts of neck from holder to free size 6 needle and work across these 38 sts in pat.; pick up and k 7 sts on other side of neck to shoulder; 52 sts. Work ribbing same as for back.

SLEEVES—Work same as sleeves of Cardigan. See page 14.

FINISHING—Sew underarm and sleeve seams. Sew shoulder seams, sewing edges of neck ribbing tog. Sew in sleeves with sleeve seam at center underarm. Block, see page 51.

Style No. 3719

(Continued from Page 22)

LEFT FRONT—With size 5 needles, cast on 67 (71) sts.

Ribbing—Row 1—wrong side—P 11 for front border and facing; * k 1, p 1; repeat from * to end.

Row 2—* K 1, p 1; repeat from * to within 11 sts of end; k 5, with yarn at back, slip 1 st as to p for turning st, k 5 for front border and facing.
Repeat last 2 rows until 9 rows from beg., end with row 1 on wrong side.

Pattern—Row 1—right side—With size 9 needles; k 15 (19); p 3, slip, k and pass, k 3, k 2 tog., p 3, * yo, k 1, yo, p 3, slip, k and pass, k 3, k 2 tog., p 3; repeat from * once; k 5, slip turning st as before, k 5 for front border and facing.

Row 2—P 11 for front border and facing; * k 3, p 5, k 3, p 3; repeat from * once, k 3, p 5, k 3; p 15 (19).

Row 3—K 15 (19); * p 3, slip, k and pass, k 1, k 2 tog., p 3, k 1, yo, k 1, yo, k 1; repeat from * once, p 3, slip, k and pass, k 1, k 2 tog., p 3; k 5, slip turning st, k 5.

Row 4—P 11; * k 3, p 3, k 3, p 5; repeat from * once, k 3, p 3, k 3; p 15 (19).

Row 5—K 15 (19); * p 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3, k 2, yo, k 1, yo, k 2; repeat from * once, p 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3; k 5, slip 1, k 5.

Row 6—P 11; * k 3, p 1, k 3, p 7; repeat from * once, k 3, p 1, k 3; p 15 (19).

Row 7—K 15 (19); * p 7, k 7; repeat from * once, p 7; k 5, slip 1, k 5.

Row 8—P 11; * k 7, p 7; repeat from * once, k 7, p 15 (19).

Row 9—K 15 (19); * p 3, yo, k 1, yo, p 3, slip, k and pass, k 3, k 2 tog.; repeat from * once, p 3, yo, k 1, yo, p 3; k 5, slip 1, k 5.

Row 10—Same as row 4.

Row 11—K 15 (19); * p 3, k 1, yo, k 1, yo, k 1, p 3, slip, k and pass, k 1, k 2 tog.; repeat from * once, p 3, k 1, yo, k 1, yo, k 1, p 3; k 5, slip 1, k 5.

Row 12—Same as row 2.

Row 13—K 15 (19); * p 3, k 2, yo, k 1, yo, k 2, p 3, slip 1, k 2 tog., pass slip st over the k 2 tog.; repeat from * once, p 3, k 2, yo, k 1, yo, k 2, p 3; k 5, slip 1, k 5.

Row 14—P 11; * k 3, p 7, k 3, p 1; repeat from * once, k 3, p 7, k 3; p 15 (19).

Row 15—K 15 (19); p 3, * k 7, p 7; repeat from * once, k 7, p 3; k 5, slip 1, k 5.

Row 16—P 11; k 3, * p 7, k 7; repeat from * once, p 7, k 3; p 15 (19).
Repeat these 16 rows for pat. Work even in pat. until 62 (60) rows—about 10½ (10) ins. above ribbing, end on wrong side with pat. row 14 (12). Mark for underarm.

Armhole—Bind off 4 (4) sts at beg. of row, finish row in pat. Work 1 row even. Dec. 1 st at beg. of next row. Repeat dec. at armhole edge every 2nd row 4 (6) times. Work even, continuing pat. stripe, until 37 (39) rows—about 6 (6½) ins. above underarm marker, end on right side with pat. row 3; 54 (56) sts.

Neck Shaping—Row 1—wrong side—P 11, k 3, p 3, k 3, p 5, k 3, p 3, slip these 31 sts to strand of yarn for neck ribbing, then k 3, p 5, k 3, p 3, k 3; p 6 (8); 23 (25) sts on needle.

Row 2—K 6 (8), p 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3, k 2, yo, k 1, yo, k 2, p 3.

Row 3—K 3, p 7, k 3, p 1, k 3, p 6 (8).

Row 4—K 6 (8), p 7, k 7, p 3.

Row 5—K 3, p 7, k 7, p 6 (8).

Row 6—K 6 (8), p 3, yo, k 1, yo, p 3, slip, k and pass, k 3, k 2 tog., p 3.

Row 7—K 3, p 5, k 3, p 3, k 3, p 6 (8).

Row 8—K 6 (8), p 3, k 1, yo, k 1, yo, k 1, p 3, slip, k and pass, k 1, k 2 tog., p 3.

Row 9—K 3, p 3, k 3, p 5, k 3, p 6 (8).

Shoulder—Row 10—Bind off 7 (7) sts at beg. of row, then with 1 st on needle p 1 (3), k 2, yo, k 1, yo, k 2, p 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3.

Row 11—K 3, p 1, k 3, p 7, **for size 12-14 only,** k 2 **(for size 16-18 only,** k 3, p 1).

Row 12—Bind off 8 (9) sts at beg. of row, **for size 12-14,** with 1 st on needle, p 7, **(for size 16-18,** with 1 st on needle, k 1, p 7).

Row 13—K 7, p 1 (2).
Bind off remaining 8 (9) sts to complete shoulder.

RIGHT FRONT—With size 5 needles, cast on 67 (71) sts.

Ribbing—Row 1—wrong side—* P 1, k 1; repeat from * to within 11 sts of end; p 11 for front border and facing.

Row 2—K 5, slip 1 for turning st, k 5; * p 1, k 1; repeat from * to end.
Repeat row 1 once, end at front edge.

Row 4 — buttonhole row — K 2, yarn over needle twice, k 2 tog., k 1, slip 1 st for turning st, k 1, k 2 tog., yarn over needle twice, k 2; work ribbing to end.

Next row—Work ribbing to within 11 sts of end; p 11, dropping 1 extra "yo" to complete buttonholes.
Continue ribbing and front border and facing for 4 more rows, end at front edge.

Pattern — Row 1 — right side — With size 9 needles, k 5, slip 1 for turning st, k 5 for front border and facing; p 3, slip, k and pass, k 3, k 2 tog., p 3, * yo, k 1, yo, p 3, slip, k and pass, k 3, k 2 tog., p 3; repeat from * once; k 15 (19).

Row 2—P 15 (19); * k 3, p 5, k 3, p 3; repeat from * once, k 3, p 5, k 3; p 11 for front border and facing.

Row 3—K 5, slip 1 for turning st, k 5; * p 3, slip, k and pass, k 1, k 2 tog., p 3, k 1, yo, k 1, yo, k 1; repeat from * once, p 3, slip, k and pass, k 1, k 2 tog., p 3; k 15 (19).
Continue to correspond to left front, working 11 sts of border and facing at **beg.** of rows worked from right side—15 (19) stockinette sts at end; repeating buttonholes every 21st and 22nd row. Work until 63 (61) rows above ribbing, end with pat. row 15 (13). Mark for underarm. Shape armhole to correspond to left armhole. Work even until 37 (39) rows above underarm marker—16 rows above 5th buttonhole, end on wrong side at front edge with pat. row 4; 54 (56) sts.

Neck Shaping—Row 1—Work 11 sts of front border and facing, p 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3, k 1, k 3 tog., k 1, p 3, slip 1, k 2 tog., pass slip st over k 2 tog., place these 25 sts on strand of yarn for neck ribbing, p 3, k 2, yo, k 1, yo, k 2, p 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3, k 6 (8).

Row 2—P 6 (8), k 3, p 1, k 3, p 7, k 3.

Row 3—P 3, k 7, p 7, k 6 (8).

Row 4—P 6 (8), k 7, p 7, k 3.

Row 5—P 3, slip, k and pass, k 3, k 2 tog., p 3, yo, k 1, yo, p 3, k 6 (8).

Row 6—P 6 (8), k 3, p 3, k 3, p 5, k 3.

Row 7—P 3, slip, k and pass, k 1, k 2 tog., p 3, k 1, yo, k 1, yo, k 1, p 3, k 6 (8).

Row 8—P 6 (8), k 3, p 5, k 3, p 3, k 3.

Row 9—P 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3, k 2, yo, k 1, yo, k 2, p 3, k 6 (8).

Row 10—Shoulder—Bind off 7 (7) sts at beg. of row, with 1 st on needle, k 1 (3), p 7, k 3, p 1, k 3.

Row 11—P 7, k 7, p 2 (4).

Row 12—Bind off 8 (9) sts at beg. of row, **for size 12-14,** with 1 st on needle, k 7 **(for size 16-18,** with 1 st on needle, p 1, k 7).

(Continued on Next Page)

Style No. 3719 *(Continued from Page 48)*

Row 13—P 7, k 1 (2). Bind off remaining 8 (9) sts to complete shoulder.
Sew shoulder seams.

SLEEVES—With size 5 needles, cast on 40 (44) sts. Work k 1, p 1 ribbing for 14 rows.

Inc. row—wrong side—Work ribbing increasing 8 sts evenly spaced across row; 48 (52) sts.
With size 9 needles, work stockinette st—k 1 row, p 1 row—for 10 rows, end with p row. Inc. 1 st each side of next row. Repeat inc. each side every 12th row 3 times more; 56 (60) sts. Work even until 60 rows—about 10 ins. above ribbing, end with p row. Bind off 4 (4) sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 13 (14) times; every row 4 times. Bind off remaining 12 (14) sts.

NECK RIBBING—From wrong side, slip to size 5 needle, 31 sts of left front and 22 sts of back, from right side, slip 25 sts of right front to free size 5 needle, join yarn and with same needle pick up and k 7 sts on right neck edge, work across sts of back as follows: k 1, k 2 tog., k 4, k 2 tog., k 4, k 2 tog., k 4, k 2 tog., k 1; pick up and k 6 sts along left neck edge, work across 31 sts of left front as follows: slip 1, k 2 tog., pass slip st over k 2 tog., p 3, k 1, k 3 tog., k 1, p 3, slip 1, k 2 tog., pass slip st over k 2 tog., p 3; k 5, slip 1, k 5 for front border and facing; 81 sts.

Ribbing—Row 1—wrong side—P 11, k 1, * p 1, k 1; repeat from * to within 11 sts of end, p 11.

Row 2—K 5, slip 1, k 5; p 1, * k 1, p 1; repeat from * to within 11 sts of end; k 5, slip 1, k 5. Repeat row 1 once. Work 6th set of buttonholes as before on next 2 rows. Repeat rows 2 and 1 for 5 more rows. Bind off in pat.

FINISHING—Sew underarm and sleeve seams. Turn back front facings along turning st and sew to wrong side. Sew open ends of front borders and facings tog. neatly at neck and lower edges. Finish buttonholes in blanket st, working through both thicknesses. Sew in sleeves with seam at center underarm. Block, see page 51.

BUTTONS—Row 1—right side—Make a loop on hook, work 21 sc over ring, join with slip st in first sc; fasten off leaving 10-in. end. Thread end of yarn into tapestry needle and from wrong side, draw through back loop of each sc and gather up tightly. Fasten securely, leaving end to sew on button. Make 6 buttons and sew on left front opposite buttonholes.

Style No. 3715
(Continued from Page 20)

Ribbing—Row 1—wrong side—* P 1, k 1; repeat from * to within 6 sts of end, place marker on right needle to mark front border; p 1, k 1, p 1, k 1, p 1, k 1. Carry marker.

Row 2—K 1, p 1, k 1, p 1, k 1, p 1, slip marker; * p 1, k 1; repeat from * to end.

First buttonhole row—Row 3—* P 1, k 1; repeat from * to marker, k 1, p 1, bind off 2 sts, p last st.

Row 4—P 1, k 1, cast on 2 sts to complete buttonhole, p 1, k 1; * p 1, k 1; repeat from * to end.
Omitting buttonhole, repeat last 4 rows twice, end on right side at side edge.

2nd buttonhole row—Row 13—Work same as row 1 to marker, p 1, k 1, bind off 2 sts, k last st.

Row 14—K 1, p 1, cast on 2 sts to complete buttonhole, k 1, p 1; * p 1, k 1; repeat from * to end.

Row 15—Same as row 3, omitting buttonhole.

Pattern—Row 1—right side—With size 10½ needles continuing to carry marker, * p 1, k 1; repeat from * to end.

Row 2—Same as row 1.
Row 3—* K 1, p 1; repeat from * to end.
Row 4—Same as row 3.
Row 5—P 1, k 1, p 1, k 1, p 1, k 3, * p 1, k 1; repeat from * to end.

Row 6—* P 1, k 1; repeat from * to within 2 sts of marker, p 3, k 1, p 1, k 1, p 1, k 1.

Beg. with row 7 on chart No. 3, see page 50, and repeating buttonhole rows as indicated, follow chart until 69 (65) rows—about 11½ (10½) ins.—above ribbing, end on right side at side edge. Mark for underarm.

Armhole—Continuing to follow chart and with care to keep pat, bind off 4 (5) sts at beg. of next row; 38 (41) sts. Dec. 1 st at end of next row at armhole edge.
Repeat dec. at armhole edge every 2nd row 3 (4) times; 34 (36) sts. Work until 33 (37) rows above underarm marker, end on wrong side at front edge.

Neck Shaping—Work 9 sts, place on holder for neck, finish row. At neck edge dec. 1 st every row 7 times. Work even until 44 (48) rows above underarm marker, end on right side at armhole edge.

Shoulder Shaping—Bind off 4 (5) sts at beg. of next row, finish row. Bind off 4 (5) sts at beg. of every 2nd row once; 5 sts twice.

SLEEVES—With size 8 needles cast on 38 (42) sts.

Work k 1, p 1 ribbing for 15 rows, end on wrong side.
With size 10½ needles work stockinette st—k 1 row, p 1 row—increasing 1 st each side every 8th row 7 times; 52 (56) sts.
Work even until 60 rows—about 12 ins.—above ribbing, end on wrong side; 52 (56) sts.
Bind off 4 (5) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat decs. each side every 2nd row 7 (8) times; 28 sts. Dec. 1 st each side **every** row 4 times. Bind off 2 sts at beg. of next 6 rows. Bind off remaining 8 sts.

FINISHING—Sew shoulder, side and sleeve seams. Sew in sleeves matching underarm seams.

NECKBAND—Beg. at front edge, slip 9 sts of left front border and 21 sts of back to size 8 needle. Beg. at front edge, slip 9 sts of right front border to free size 8 needle, join yarn in last st, pick up and k 12 sts evenly spaced along right neck edge to shoulder; working 21 sts of back, k 1, * p 1, k 1; repeat from * 9 times; pick up and k 12 sts evenly spaced along left neck edge, p 1, k 1, p 1, work last 6 sts in border pat.

Row 1—wrong side—Work first 6 sts in border pat; k 1, * p 1, k 1; repeat from * to marker, work 2 sts in border pat. bind off 2 sts for last buttonhole, finish row.

Next row—Work 2 sts of border, casting on 2 sts over bound-off sts to complete buttonhole, finish border. P 1, * k 1, p 1; repeat from * to marker, work border.
Omitting buttonhole, repeat last 2 rows once. Bind off in pat.
Finish buttonholes in blanket st.

PULLOVER

BACK—Work same as back of cardigan until 44 (48) rows, about 7½ (8) inches above underarm marker, end on wrong side.

Shoulder Shaping—Bind off 4 (5) sts at beg. of next 4 rows; 5 sts at beg. of next 2 rows.

Continuing pat., work 6 rows even for neck facing. Bind off.

FRONT—Work same as back.

SLEEVES—Work same as sleeves for cardigan.

FINISHING—Sew shoulder, underarm and sleeve seams. Sew in sleeves matching underarm seams. Turn back 6 rows of neck facing and hem to wrong side.

Block, see page 51.

Charts for Style No. 3715 (Shown on Page 21)



Where a P stitch is indicated on chart, the stitch should be purled, whether on right or wrong side.

HELPFUL INFORMATION

STITCH GAUGE—*Important*—Knitted and Crocheted garments are planned on the basis of working to a specified number of stitches and rows to 1 inch; this is referred to as the GAUGE. Required gauge is given at beginning of instructions. If this gauge is not obtained the finished garment will not be the correct size. The size needles or hooks recommended will give the average worker the correct gauge. However, if you do not obtain the gauge required, change the size needles or hooks to conform to the tension of your individual work; if your work is too loose use smaller size needles or hook to tighten gauge; if your work is too tight use larger size needles or hook to loosen gauge. You MUST get gauge given to insure proper size of finished garment.

MARKERS—Make a small loop of contrasting color yarn and place on needle at point or points indicated in instructions. Slip loop from left to right needle without knitting.
Note: Be sure to buy sufficient yarn of each color *in the same dye lot number* to complete the article. This is not necessary if you are buying Ever-Match Yarn or No-Dye-Lot Yarn.

MEASUREMENTS OF GARMENTS—The sizes of garments in this book are based on the standard body measurement given below. In the instructions an allowance has been made over the body measurements to give sufficient ease and insure correct fit. This allowance varies according to the style of garment, stitch, type of yarn, and gauge of knitting. To determine which size garment you should make, take your own accurate body measurements. Then use instructions for size with body measurements nearest to your own body measurements. If adjustment is necessary be sure to allow the same number of inches over body measurements as allowed on garment you intend to make. See standard body measurement chart below.

COMPLETE ABBREVIATIONS

k—knit	**tog.—together**	**ch—chain**
p—purl	**beg.—beginning**	**sc—single crochet**
st(s)—stitch(es)	**pat.(s.)—pattern(s)**	**dc—double crochet**
inc.(s.)—increase(s)	**in.(s.)—inch(es)**	**tr—treble crochet**
dec.(s.)—decrease(s)	**sl—slip**	**hdc—half double crochet**
St. st—stockinette st	**yo—yarn over**	

SKP—sl 1, k 1, pass sl st over k st.

sl st—slip st—pass st from one needle to another without working it. Unless otherwise specified, always slip st as to p, except when dec.—as in slip, k and pass—, then slip as to k.

An asterisk (*) indicates that the instructions immediately following are to be repeated the given number of times in addition to the original.

Double Star (* *) and Dagger (†) are used in the same way.

BLOCKING OR STEAMING—To give a more tailored finish to knitted garments it is preferable to steam each piece separately. Care should be taken to block pieces to knitted shape. If the garment is sewn together first and blocked carefully after assembling, the result will also be satisfactory.

TO BLOCK OR STEAM SEPARATE PIECES—Lay pieces flat on pressing board, wrong side up, pin edges to board. Steam with moderately hot iron over a wet cloth, taking care not to let weight of iron rest upon any one spot. After blocking leave pinned until thoroughly dry. Do not steam ribbing.

TO BLOCK OR STEAM FINISHED GARMENT—Lay flat on pressing board, wrong side out. Pin to board. Steam first one side and when dry, steam other side.
After blocking leave pinned until thoroughly dry, then steam all seams and crocheted edges. *Do not steam ribbing.*

WOMAN'S STANDARD BODY MEASUREMENTS

Sizes	12	14 (34)	16 (36)	18 (38)	20 (40)	42	44
Bust	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.	42 ins.	44 ins.

MEN'S STANDARD BODY MEASUREMENTS

Sizes	38	40	42	44
Chest	38 ins.	40 ins.	42 ins.	44 ins.

WEAVING STOCKINETTE STITCH—Thread a tapestry needle and bring pieces to be joined close together. Draw up yarn in first st on upper piece, inserting needle from wrong side; insert needle from right side in first st on lower piece and bring up through next st from wrong side—draw up yarn; * insert needle from right side in same st as before on upper piece and bring up through next st from wrong side—draw up yarn; insert needle from right side in same st as before on lower piece and bring up through next st—draw up yarn; repeat from * until all sts are joined, and fasten yarn well before breaking off.



"BOYE" Products are used exclusively by our design staff in creating the fashions illustrated in this book and are specified herein in accordance with an agreement whereby the publishers receive consideration for such specification.

The directions in this book are carefully checked and rechecked to assure accuracy. We cannot, however, be responsible for typographical errors or misinterpretation of instructions.

PRINTED IN U.S.A.—4

HAND-KNIT FAVORITES

CARDIGANS & PULLOVERS

VOL. 37 FLEISHER · *Bear Brand* · BOTANY 75¢